

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : G06F 17/60		A1	(11) International Publication Number: WO 00/08578
			(43) International Publication Date: 17 February 2000 (17.02.00)
(21) International Application Number: PCT/US99/17248			(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
(22) International Filing Date: 29 July 1999 (29.07.99)			
(30) Priority Data: 09/131,048 7 August 1998 (07.08.98) US 09/339,325 23 June 1999 (23.06.99) US			
(71) Applicant (for all designated States except US): TRADING DYNAMICS, INC. [US/US]; 313 West Evelyn Avenue, Mountain View, CA 94041 (US).			
(72) Inventors; and (75) Inventors/Applicants (for US only): SHOHAM, Yoav [IL/US]; 4058 Orme Street, Palo Alto, CA 94306 (US). WELLMAN, Michael [US/US]; 427 Riverview Drive, Ann Arbor, MI 48104 (US). EPHRATI, Eithan [IL/US]; Apt. C-3, 1575 Tenaka Place, Sunnyvale, CA 94087 (US).			
(74) Agents: SALTER, James, H. et al.; Blakely, Sokoloff, Taylor & Zafman LLP, 7th Floor, 12400 Wilshire Boulevard, Los Angeles, CA 90025 (US).			Published With international search report.

(54) Title: A METHOD AND AN APPARATUS FOR A UNIVERSAL TRADING MARKET DESIGN AND DEPLOYMENT SYSTEM

(57) Abstract

A universal auction specification system including a network-accessible set of trading primitives ("TPs") and a market specification console (110) that includes a script generator (121) for combining the set of TPs into a temporal protocol script representing a particular auction specification. The system further includes a programmable auction server (140) that has a plurality of modules wherein each module may have a TP.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

A METHOD AND AN APPARATUS FOR A UNIVERSAL TRADING MARKET DESIGN AND DEPLOYMENT SYSTEM

Cross-Reference to Related Application

The present application is a Continuation-In-Part of co-pending application serial no. 09/131,048 filed August 7, 1998 by applicant Yoav Shoham et al., entitled "A Universal On-Line Trading Market Design And Deployment System."

FIELD OF THE INVENTION

The present invention relates to the use of networked computer systems for the design and deployment of a trading market. More specifically, the invention relates to an auction engine organized around modular components representing dimensions of auction specifications.

BACKGROUND OF THE INVENTION

Simple auctions that do not require complex computations are currently prevalent on the Internet. Onsale.com, eBay.com, and Priceline.com are representative of such auctions. Onsale, Inc. and Priceline, Inc. used customized software specific to their particular auction rules. This software is not easily modified or deployed in a different business context.

Toolkits embodied in software offered by Opensite and Bonsai may be used to construct and operate simple auctions. But customization of an auction by these tool kits is limited. For example, a market designer may specify the duration of the auction or select a simple auction format; however, other variables in establishing an auction may not be modified without significant labor.

Although IBM has developed an auction toolkit that allows a somewhat greater degree of customization of an auction through subclassing of elements from a library of software objects, it is not a comprehensive market design and

deployment system. Additionally, this system is limited to single-unit buyer-only auctions.

Moai, Inc. (Moai) has software that typifies products that are not auction products; rather, Moai provides software solutions that embody auction technology. Moai builds software for creating Internet auctioning solutions for manufacturers or resellers to sell surplus-goods and excess inventories. Although Moai's software solution may be tailored to meet the needs of a customer, the auction style and mechanism are limited to a specific auction type.

The Michigan Internet AuctionBot, another Internet service, allows a party to create and manage an auction (*e.g.*, accept bids, notify bidders of auction results, *etc.*). Although AuctionBot supports a broader set of auctions than other services, it has limitations. In particular, AuctionBot cannot support activity rules of the sort encountered in industrial markets such as the FCC spectrum auction and the California Power Exchange. Nor does it provide a modular architecture for extending the range of configurability of the system.

In sum, a market designer of an Internet auction has two options--develop software or use limited toolkits. Therefore, it is desirable to have a means with which to define and deploy a wide range of Internet auction markets without engaging in lengthy software development.

SUMMARY OF THE INVENTION

Methods and apparatuses for designing and deploying an interactive, real-time, universal trading market system on the Internet are disclosed. One embodiment of the invention relates to a universal auction specification system having a programmable auction server. The programmable auction server has a plurality of auction specification modules wherein at least one auction specification module corresponds to at least one function of an auction variable selected from the group consisting of a process bid, release information, and a clear.

Other aspects and methods of the present invention, as well as apparatuses formed using these methods, are described further below in conjunction with the following figures.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1A is a system block diagram showing the components of the preferred embodiment.

Figure 1B is a diagram showing the programmable auction server of the system.

Figures 2 and 3 schematically show one embodiment of the invention wherein a bid is received and is verified.

Figure 4 shows data flow of one embodiment of the invention.

Figure 5 illustrates a three-tier specific embodiment of the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

Methods and apparatuses are disclosed for designing and deploying a universal, interactive, real-time, trading market system serving traders communicating through the Internet and similar networks. This generic system for specifying and deploying trading market systems such as auctions is novel over the limited systems known in the art. One embodiment of the invention relates to a universal auction specification system having a programmable auction server (PAS). The programmable auction server has a plurality of auction specification modules wherein at least one auction specification module corresponds to at least one of the following auction functions: processing a bid, releasing auction information, and clearing the auction.

In the following detailed description, numerous specific details are set forth in order to provide a thorough understanding of the present invention. It will be evident, however, to one of ordinary skill in the art that the present

invention may be practiced without these specific details. In other instances, well known structures and devices are shown in block diagram form in order to avoid unnecessarily obscuring the present invention.

Figures 1A through 1B show various embodiments of the invention in which a universal auction specification system of the invention may include a variety of components such as a Market Specification Console ("MSC") 110, a Universal Trading Console ("UTC") 120, a Universal Surveillance Console ("USC") 130, a Market Administration Console ("MAC") 150, PAS 140, and a communication network 160 and 161 linking various components. These components may be stored or operated in a single computer system or in a plurality of computer systems connected by a network.

Overview of System Modules

MSC 110 consists of a computer running a computer program in which a market designer may specify any of an infinite number of possible market protocols. Thereafter, the market defined by market protocols is submitted or uploaded to a PAS 140 for execution. Markets may be as simple as English or Dutch auctions with some parameters designated by a market designer. Alternatively, a market designer may develop an arbitrary auction that uses very complex computations.

Although markets may be organized in various ways, markets generally consist of a sequence of phases. Each phase comprises an interval(s) wherein an activity is governed by a relatively fixed set of rules specified by the market designer. The temporal flow of a market consists of a series of market phases specified by the market designer. In order to specify this temporal flow, the market designer must identify the phases. Phases are identified and sequencing relations (*e.g.*, termination conditions, conditional branching among the phases, etc.) are designated by manipulating representations of the phases on the Graphical User Interface (GUT) of the MSC 110. A phase may be defined by a

time period, a limitation, a condition (*e.g.* condition precedent, condition concurrent, condition subsequent, etc.), exception, exclusion, or a proviso etc. The market designer may designate criteria such as when the phase terminates (*e.g.*, a specified time period, condition such as the first one hundred bids received, etc.), the method to choose a succeeding phase (if any), and any other applicable limitations.

In order to specify rules such as market rules governing a particular phase, the market designer selects options - referred to herein as trading primitives ("TPs") - that dictate the behavior of components in the PAS 140. MSC 110 provides menus and other means for choosing options and may provide guidance to the market designer regarding legal combinations of these options, or recommend choices associated with specified design goals.

UTC 120 consists of a computer running a computer program that enables a trader (*e.g.*, seller, buyer, agent of a seller or buyer) to trade in any market protocol executing on the PAS 140. UTC 120 presents information to the trader in a manner that automatically adapts to a specific market protocol that is executing.

USC 130 consists of a computer running a computer program that enables a surveillance body such as a regulatory agency or an independent audit firm to monitor the operation of the markets executing on the PAS 140. This function allows the surveillance body to determine whether the execution of an auction conforms to norms and, optionally, to intervene in the market when deviations are detected.

MAC 150 consists of a computer running a computer program that enables a market operator, an entity housing the PAS 140 and responsible for the operation of the PAS, to monitor the execution of various markets operating on the PAS 140. MAC 150 also administers registration transactions, such as the process whereby traders identify themselves to the

system (*e.g.*, providing their names and credentials). Additionally, MAC 150 allows market operators to troubleshoot the system in real time.

PAS 140 includes a computer that runs a computer program that may accept multiple market protocols submitted to it from an MSC 110 and execute multiple market protocols (*e.g.*, opening auctions, admitting or rejecting bids, clearing prices, notifying traders of market events, and closing auctions). More specifically, PAS 140 employs several modules to control the market operation. Modules such as bid verifier, release information manager, and clearer assist in managing the market by processing incoming bids, responding to queries, maintaining market state (*e.g.*, tracking bids, etc.), and reporting results to traders and optionally to non-traders. Through these modules, various transactions may be performed such as bid verification (*e.g.* does a bid from a trader qualify as a "bid" under the rules), release of information (*e.g.*, show all the current bids), a clear (*e.g.* clear the prices or bids), registration of information (*e.g.* name and phone number of the trader), and a bid transformation. In the preferred embodiment, various components are organized into a complete system through a 3-tier architecture bounded by double firewalls 164 as shown in **Figure 1A**.

The Market Specification Console (MSC)

MSC 110 makes available to a market designer a full spectrum of rules for defining market protocols in an intuitive fashion. These rules may be modified by the market designer. Combinations of rules for participating in and operating a market constitute market protocols. Market protocols specifiable through MSC range from simple auctions such as English, Dutch, and sealed-bid auctions, to highly complex auctions such as those conducted on the trading floors of financial exchanges and the California Power Exchange.

Table 1 provides examples of some types of auctions that could be specified through MSC 110 for deployment in PAS 140. As shown below, auction types may be arranged in a hierarchy, which the market designer would

use as part of the market specification process. Note that the partial hierarchy depicted is but one of many possible arrangements.

Table 1: Example of Auction Classifications

1) Single good type
a) One-sided (<i>e.g.</i> , only buyers bid)
i) English (ascending price)
ii) Dutch (descending price)
iii) Sealed-bid
b) Two-sided (buyers and sellers bid)
i) Continuous double auction
ii) Call market
2) Multiple good types
a) Simultaneous ascending price
b) Combinatorial (bundle bidding)

Table 1 shows multiple classes of auctions. The table includes auctions for one good or multiple goods. Single goods may be auctioned by one-sided or two-sided auctions. Among the types of one-sided auction are English, Dutch, and sealed-bid auctions. The English auction (in the case where buyers bid) operates in the typical fashion wherein Trader A makes a bid on a good. Trader B would then make a bid that is higher than the bid submitted by Trader A. The highest bidder prevails in the buy-side English auction. In a buy-side Dutch auction, on the other hand, prices start at a high level and decrease until a trader submits a bid. The sealed-bid auction involves collects bids from traders and withholds information until the end. At clearing time, the best bids prevail.

Two-sided auctions represent another class of auction. In two-sided auctions, both buyers and sellers submit bids. One example of this class is the continuous double auction. A continuous double auction collects offers from buyers and sellers. If an offer to buy and an offer to sell match, a trade is

consummated. A call market operates similarly, except that bids are aggregated over time, and matched in a periodic manner. Trades typically occur at a uniform price consistent with all of the matched bids.

As noted above, multiple goods may be auctioned. This involves multiple goods offered by a single company, a government agency, or some other entity. Simultaneous ascending price auctions involve multiple ongoing auctions for different goods. Combinatorial (bundle bidding) auctions involve traders bidding for combinations goods such as a trader submitting bids for the bundle consisting of good A, good B, and good C.

Generally, a market designer may define a market in one of two ways. One method is to select a market protocol that has been predefined in parameterized form, and input the values of its free parameters. For example, a market designer may specify the minimum increment and start time in an English auction. The other method is to allow a market designer to define arbitrary market protocols suited to any given situation.

Although the number of market protocols is limitless, some universal principles apply. First, every auction is associated with a set of entities that are allowed to participate, called traders. Traders participate in markets by submitting bids, which are offers to buy or sell the auction's goods at specified terms (*e.g.*, prices and quantities dictated in the bid). As a result of the bids, some information may be released to traders about a market's status. Under conditions specified in the market protocol, the auction clears and the resulting exchanges are determined. The auction closes when a termination condition is met.

Because of these universal elements, it is possible to define TPs that represent particular choices for features of a market protocol, applicable across a range of auction types. For example, one TP might specify whether an auction is one-sided (*e.g.*, buyer or seller bid), two-sided (*e.g.*, buyer and seller bid), a sealed-bid or "open outcry" (*e.g.*, bids are exposed to all traders). TPs may also dictate when important events, such as clears or information releases, are to

occur. Further examples of TPs and how they are used to specify auction behavior are presented in the section describing the PAS 140 below.

Each phase of an auction is thus defined by specifying the TPs it comprises or the timeline for application of the TPs. One general method of specifying a time line is to invoke a scripting language that has control constructs for sequencing and iteration, access to internal auction events and a time-of-day clock, and the capability to call the TPs. This role may be filled by a specially designed auction scripting language, a standard scripting language such as TCL/TK, JavaScript, a full-fledged programming language such as Java, any other scripting, or any programming languages. The preferred embodiment of the invention utilizes a script generator 121 to generate scripts in a language generically referred to as CommerceScript. CommerceScript is a temporal protocol script that represents an auction specification.

The temporal nature of CommerceScript provides an additional level of convenience in market specification. Rather than restrict the market designer to textual scripting, the invention presents to the market designer a visual scripting option. This visual scripting option allows the market designer to graphically draw a time line and place along the time line various TPs. Each TP may be annotated with a variety of information such as the market entity executing the TP, whether this execution is mandatory or permissible, whether conditions must precede or occur after this step and temporal preconditions that must be met. The output of the visual specification component is similar to that of a textual specification component. Although various visual programming tools exist in the art, such tools have not been applied to the creation of a trading market specification. One novel aspect of the visual specification component annotation involves processing steps as "mandatory" or "permissible," which is unique to the commercial application.

The Programmable Auction Server (PAS)

PAS 140 is extensible and flexible. PAS comprises an interpreter for CommerceScript, and modules implementing the behaviors dictated by the TPs referenced in the script. In principle, there is no bound on the range of allowable market protocols, other than the pragmatic limitations of the PAS 140 in terms of computer memory and other computational resources.

A market protocol may accord to distinct market entities various permissions to perform activities such as bidding in certain ways or retrieving certain forms of information. Such permissions are based on registered trader and auction attributes as captured by the MAC 150 registration process. One feature of the PAS 140 is its generic way of handling permissions regardless of the particular market protocol that is executed. Each step in the execution of the protocol is gated by the type of market activity, its particular instantiation (*i.e.*, the value of specified inputs), and the entity attempting to execute it. Flexibility permission management offered by the invention is important in industrial applications that generally require security measures such as defenses against malicious infiltrators and incompetent market entities.

To promote fault tolerance, the PAS 140 creates an audit trail by logging every activity that takes place on the system, including bids, other trader actions, market clear results, and other similar actions. In addition, a trade management module records trades and the obligations incurred by each participant. For example, the trade management module may record that Trader A, a buyer, submitted a bid of \$100 for a good such as a book. Because this bid reflects the highest bid received, Seller B sold his book for \$100 to buyer A. Trade management module will record that buyer A is obligated to pay Seller B \$100 in exchange for Seller B's book.

PAS 140 is comprised of several modules that may be added or customized for different market protocols. These modules, discussed below,

implement market functions based on TPs specified by the market designer. PAS 140 uses script interpreter 141 to execute the market protocol, and provides application program interface 510 and proxy bidder 509 for extensibility and connection with other auction system components.

1. Script Interpreter

PAS 140 uses a generic script interpreter 141 that is capable of recognizing and interpreting CommerceScript, other type of script, or any programming language. Additionally, script interpreter 141 may be modified to adapt to new scripting languages.

2. Bid Verifier

Bid verifier 151 tests each incoming bid for consistency with the bidding rules established by a market designer. A "bid" is defined as an expression of an action that may modify a bid state. Bids include a variety of actions such as a buyer indicating a willingness to purchase a good at a certain price, or a withdrawal of a previous bid. Changing a bid qualifies as a new bid. If verified as an eligible bid, the bid is admitted to an order book; otherwise, the bid is rejected. There are many possible varieties of bidding rules that may be specified in TPs through the MSC 110. Examples of bidding rules provided below are for illustrative purposes only.

In one embodiment, bid verifier 151 operates such that the incoming bid is compared to a bid referred to as a base bid. The base bid may refer to the trader's own bid, to all bids, or to some summary (e.g., a price quote), as determined through applying the bid rules. For example, assume a bidding rule requires that in order for a bid to be eligible, a bid must meet the following requirement:

$$\text{bid} \geq \text{highest bid received} + x$$

wherein x equals \$20 and the highest bid received is assumed to be \$100 and it is the highest bid received for that auction at a certain period of time. The highest bid represents the base bid. In this example, the base bid is replaced with a higher

bid. The higher bid is then referred to as the base bid. The incoming bid must be at least \$120 to be entered into the order book.

Another example of a bidding rule may restrict the type of traders who are eligible to bid or it may restrict the bids that different traders may submit. Bidding rules may also regulate whether withdrawals or replacement of a bid are allowed. Limits may also be placed on the frequency of such actions, or of bids in general. Any bidding rule may be designated by a market designer to apply over the entire course of the auction or for designated periods (*e.g.*, stages or rounds). Dynamic bidding rules based upon bid content may also be used. For example, ascending (or descending) restrictions dictate that replacement bids must exceed or be exceeded by some base bid, as discussed above. These restrictions may apply to only one side of a trade or to both buying or selling.

In other ways, bidding rules may serve to define what offers are expressible. For example, they can designate whether bids may refer to only a single unit of a good versus allowing bids for multiple units. Additionally, if multiple units are allowed, the bidding rules may designate that offers may include single price points, multiple price points, or only quantities at a given price. Other examples of expressivity restrictions include discrete offers versus continuous offers, price-quantity monotonicity, divisibility (all-or-none bidding), interpolations/extrapolations, *etc.*

Expressible bid conditions also may be used in bidding rules to restrict bids in an auction. For example, expressible bid conditions include minimum quantities of a good to be bid upon or a minimum bid amount that must be satisfied. In regard to multi-dimensional auctions, combinations may be deemed permissible in bundles. "Portfolio" bidding may also be acceptable. Maximal complexity of bundle constraint specification may also be included.

Bidding rules regarding eligibility also may be specified. Eligibility of a trader or a particular bid may be specified in a variety of ways. For example, the eligibility of a trader or a bid may be specified in terms of previous auction

history, including the history of auctions distinct from but related to the auction in question. This is typically the case for restrictions referred to as activity rules that are common in complex auction scenarios.

Bidding rules may also involve payments, such as a fee paid in order to allow a participant to engage in trading. For example, an initial bid may require an entry fee (refundable or not refundable), or withdrawals may be allowed on payment of a decommitment penalty. The foregoing represents a portion of bidding rules that may be used in an auction. By executing of bidding rules such as those presented above, a "bid state" is created. A "bid state" is the status of the bids from the various traders. The status of bids is maintained in a fashion that is known in the art. A bid state also may include historical data of the various bids. For example, a graphical representation of bids may be displayed to traders on a trade interface displayed to traders. Through the trader interface, a trader is capable of inputting and receiving information from the universal auction system. Information may be communicated to the universal auction system through a keyboard, a touch screen display, or voice activated system.

3. Bid Transformer

A bid transformer 155 implements discriminating allocation market protocols that may produce different effective prices. Discriminating allocation market protocols may be based upon the identity of the trader ("trader identity") submitting the bid, the quantities allocated to a trader identity, or any other condition that the market designer designates. Trader identity may be associated with individual traders or established groups (*e.g.*, certified dealers, registered clients, holders of particular credit ratings).

In the preferred embodiment, each submitted bid is subjected to a bid transformer 155 that applies a discriminating policy to a bid. For example, if a particular trader such as Trader A is entitled to a discount of 20%, its offered price is increased by an amount such that reduction by 20% equals the original

bid. Accordingly, a bid of \$10 by Trader A is transformed to \$12.50. This transformed bid of \$12.50 is then compared to the bids received by other traders.

Another example relates to offered prices for quantities of goods (or services such as amounts of specified tasks) above a certain threshold amount. Quantities of goods may be assessed a "penalty" percentage to bias the allocation toward a trader(s). After the bids are transformed by bid transformer 155, the transformed bids are sent to the bid verifier 151.

One alternative method to the preferred method involves implementing a discriminating allocation policy using the clearer 154. In this approach, bids are not transformed. Instead, the clearing calculation is modified to implement the discriminating allocation policy. For example, if the discriminating allocation policy dictates that no trader should receive more than half of the allocated quantity, the clearing algorithm would maximize its objective measure subject to the constraint that this quota is not exceeded.

4. Information Manager

Information manager 152 controls the information released by the auction to participants during the course of bidding. In effect, it dictates the class of queries regarding bid state and bidding and trading history that an auction may handle. Unhandled queries produce null responses.

Mechanisms may distinguish between information available through active and passive means. Traders may actively request released information through explicit queries. Information is released to passive access by defining a price quote operation. A price quote is a particular form of auction status summary that typically specifies a result of a hypothetical clear, but may also specify any other salient information (*e.g.*, the highest buy bid received). A price quote may be computed at a release time and cached so that information may be made available without querying and explicit queries do not induce a complex calculation. For single-good auctions, one form of price quote is a "bid-ask

spread” that may degenerate into a single price. A bid quote represents a price at or below which an agent would have to offer to sell in order to successfully sell (assuming no other changes occur to the auction state). An ask quote represents a corresponding price with respect to an ask quote. Auctions may define multiple price quote operations to be employed in different situations or for different classes of traders, where class may be characterized in terms of trader identity or bid status.

The market designer defines the behavior of information manager 152 by selecting TPs (through MSC 110) specifying the content and timing of price quotes, as well as the class of explicit queries to be handled. Like other auction events, information releases may be timed according to fixed schedules or by events (*e.g.* clears, bids, inactivity intervals, *etc.*)

In addition to the bid state as reflected in the order book 154, the information manager 152 may also control release of other relevant auction state information. For example, the auction state may include the eligibility of traders to make additional bids, or other market information that may affect trader’s expectations.

The information release policy implemented by information manager 152 can have a significant influence on the nature of the auction. Moreover, at one extreme, all information about the bid state information may be revealed, as in an outcry auction. However, at the other extreme, if a sealed-bid auction is used, no information is revealed about other traders’ bids.

5. Order Book/Clearer

Order Book/Clearer 154 (“clearer”) determines an allocation of goods and terms of exchange on the basis of bidding history and auction rules. An allocation typically corresponds to a set of trades among the auction participants. Once the trades are determined, it reports the results to traders and, optionally, non-traders. Clearer 154 uses the bid state as represented by the order book to derive the exchanges determined by auction rules in a given state. It may also

invoke a trade manager module to control the notification and execution of these trades.

Clearer 154 is invoked according to the temporal flow TPs specified in the MSC. Other TPs dictate how it determines an allocation. An allocation policy may be specified by naming the algorithm implementing the function from the auction state to allocations, or by defining a complete set of criteria for selecting among the possible allocations (*e.g.*, allocations consistent with the offers represented by bids).

Clearer 154 may use a general class of allocation policies that may be defined by interpreting the offers specified in bids as if they represent value functions, and maximizing the resulting surplus. However, this maximization is generally not unique because monetary transfers are zero-sum operations. Thus, the rules may need to specify how to allocate surplus among traders. For example, in a sealed-bid auction of a single unit of a good, the 1st-price auction maximizes total surplus and then allocates as much as possible to the seller. The 2nd-price auction allocates as much of the surplus to buyers. A k-double auction may divide this surplus fractionally according to parameter k. Typically, even these rules are not unambiguous, since there may be a choice among buyers (or sellers) to allocate a positive surplus. Methods for choosing among surplus-equivalent bids might be based on features such as time of bid, quantities, or even random selection. Such criteria are often referred to as tie-breaking rules.

Clearer 154 may use another type of clearing policy that determines exchanges based upon chronological priority. For example, the continuous double auction ("CDA") matches buyers and sellers instantaneously upon receiving compatible offers. The release of information about the exchange may be delayed. In contrast, a call market aggregates bids over time before determining an allocation. As the clearing interval of a call market is reduced, an approximate CDA is determined.

Clearer 154 may use discriminatory or non-uniform-price auctions that may allocate identical goods to traders at different prices. For example, in pay-your-bid auctions, successful traders on one side exchange for exactly the amount they bid, regardless of terms for other successful traders.

Regardless of the allocation policy specified, the invention is capable of realizing each by allowing a market designer to specify an available TP or integrate an entirely new component into PAS 140 to supplement the policy.

6. Proxy Bidder

Bids submitted by a trader may be entered by direct bidding or proxy bidding. In direct bidding, the bidder selects an auction and enters a bid using the computer keyboard and mouse (interface provided by UTC 120). In proxy bidding, the user defines a script that bids on his or her behalf in one or more auctions running on the PAS 140. As part of the proxy bid, a trader also specifies whether the script is to run within the trader console UTC 120 (*e.g.*, proxy bidder 508), or be transmitted to the PAS 140 and run there (*e.g.*, proxy bidder 509).

The proxy bidder 509 may be further optimized to exploit the fact that it is running within the PAS. Specifically, when there are proxy bids from multiple traders, the proxy bidder 509 may resolve the competition among these bids directly, avoiding the need to iteratively submit progressively increasing bids to the order book.

7. Application Program Interfaces

PAS 140 has a set of Application Program Interfaces ("APIs") 510 that provide a means for extending the PAS to incorporate replacement or additional modules. The purpose of the APIs is to turn a closed system to an open system. A closed system requires that the system be used in total or forego using the closed system. In an open system, components may be integrated seamlessly with existing components. For example, APIs allow integration of PAS 140 with (1) legacy software for registration or transaction management; (2) auditing or monitoring functions of accreditation agencies, (3) programs implementing novel

clearing algorithms, and (4) programs performing trades which bypass the UTC 120 discussed below.

The Universal Trading Console (UTC)

The UTC 120 has at least two functions--display of information and bid input. Examples of information displayed to a user include activities on the PAS 140 and ancillary information. PAS 140 activities are, in principle, events logged by the PAS 140, such as the start of an auction, the bids placed, and the prices cleared. Actual information displayed may vary from one market to another, reflecting the different market designs. In particular, the amount of information displayed may vary. For example, two simultaneous ascending-bid auctions may vary the information disclosure policy with one auction releasing information after each round such as the entire list of bidders and their bid in that round, whereas another auction may release only the aggregate bids supplied with no bidder-specific information. Ancillary information may be any information that is relevant to making trade decisions but that is not inherent in the market activity. For example, in energy markets and many other futures markets weather forecasts may be important information to a trader.

Diversity exists in the format of both the information dissemination and the bid collection among different types of auctions. In the preferred embodiment, this diversity is accommodated by introducing a database layer between the PAS 140 and the UTC 120. For each auction type, several specific database schemas must be introduced. The PAS 140 populates the database with specific data and that data is displayed in the UTC 120 automatically using dynamic HTML. A feature of this design is that while the database tables in the PAS 140 must be created for the particular auction, the UTC 120 requires no modification.

Figures 2 and 3 schematically show one embodiment of the invention in which several of the modules are shown. Here, a bid (*e.g.* \$100) is submitted by

Trader A at operation 600. The bid is sent to the bid verifier 151 at operation 610. Bid verifier 151 receives the bid and uses the bid by incorporating the bid in the TPs set by the market designer. At operation 610, the bid verifier determines whether the bid is acceptable. If the bid satisfies the minimum standards for an acceptable bid established by the market designer, the bid is verified as an acceptable bid and is placed into the order book/clearer 154 at operation 640. If the bid fails to meet these minimum standards, the bid is rejected and Trader A is notified that his bid is unacceptable. Information manager 152 notifies Trader A by transmitting the rejection to Trader A at operation 625. Similarly, proxy bidder 509 may also submit a bid to the bid verifier 151. This bid undergoes the same process as listed above. The trader(s) who submitted the proxy bid is notified through the information manager 152 as to whether the proxy bid is acceptable or is unacceptable.

The Universal Surveillance Console (USC)

Professional trading markets are generally associated with one or more surveillance bodies such as the SEC, the FCC, FERC, California Public Utility Commission (CPUC), internal monitoring departments of exchanges, and external private audit agencies. A surveillance body monitors trading activities and ensures that trading activities comply with specified standards. Monitoring is essential to ensure that traders comply with laws or rules. Compliance with rules promotes faith in the market. USC 130 presents information from the marketplace to a surveillance agency. While the USC 130 does not provide ways in which to trade in the market, it does provide market controls that are not provided to traders. Examples of such controls are broadcasting messages that appear on UTCs 120 and halting trading activity.

Three-Tier Architecture of the Preferred Embodiment

The system of the present invention is designed to adapt to the needs of a variety of different types of trading markets. Operating on a wide range of hardware, from single-user personal computers (PCs) to integrated client/server based platforms, the system of the present invention is well suited to a small number of users and to a market with thousands of users. The system may be field-modified to handle an increasing number of users as market requirements mature and change.

Figure 4 shows data flow of one embodiment of the invention. A market 700 comprises an auction 710. Although a market may include a plurality of phases, only one phase is shown in operation 720. With respect to a plurality of phases, one skilled in the art will appreciate that an auction specification of one phase may be replaced with an auction specification of another phase by methods known in the art. A bid, submitted by a trader, is sent to the bid verifier at operation 730. The bid verifier determines whether the bid meets certain rules that are specified by a market designer or another party who may control an aspect of the auction. Thereafter, an admitted bid is sent to the bid transformer at operation 740. At this operation, the bid is modified to reflect discrimination policies wherein the bid may be increased, decreased, or some other modification in order to reflect a status that has been granted to that particular trader or to a particular good. At operation 750, the bid is processed wherein rules are applied to the accepted bids and the best bid prevails. Note that the best bid may not necessarily be the highest bid; rather, it is the bid that reflects the discrimination allocation policies that are applied. The bid is then submitted to the order book at operation 760. At this operation, tie breaking rules may be applied, sort criteria may be used, and any other criteria designated by the market designer may be implemented. At operation 770, the bid is submitted to the clearer wherein a clearing operation is applied. At operation 780, the bids are submitted to the

trade manager for further processing. Information manager is continuously operating and may be providing information to traders on a continuous basis at operation 790.

Figure 5 shows one embodiment of the invention wherein a three-tiered architecture supports scalability allowing other system architectures to be implemented. A first tier 110 includes a front-end database 112 and Web applications running on Web server(s) 111 that constitute the interface between the users 114 and the back-end 116 of the system. Authorized users may access the system through a Web browser. GUI may be run either as a Java Applet or as a common HTML (depending on the user's choice and browser version). Java and HTML programming languages are well known to those of ordinary skill in the art. To secure the system, the Web application is surrounded by a firewall 122 in a DMZ (Demilitarized Zone) configuration making it almost impossible to penetrate the application server(s) 120. The application's logic constitutes the second tier 115. The middleware 130 environment is component-based allowing high-availability and scalability. The third tier 133 contains the database 136 and the interface 138 to a market administrator's legacy systems. Note that because the output of the auctioning process is being polled by a legacy system, the full security of the legacy environment is assured at all times.

Thus, a method and apparatus for designing and deploying a universal, interactive, real-time, trading market system serving traders communicating via the Internet is disclosed. Although the present invention has been described with reference to specific exemplary embodiments, it will be apparent to those of ordinary skill in the art that various modifications and augmentations may be made to these embodiments without departing from the broader spirit and scope of the present invention as set forth in the following claims.

CLAIMS

We claim:

1. A universal auction system having a programmable auction server, the programmable auction server comprising:
a plurality of auction modules wherein at least one auction module corresponds to at least one function of an auction selected from the group consisting of a bid verifier, an information manager, a clearer, a registration manager, and a proxy bidder.
2. The programmable auction server as in claim 1, further comprising:
auction modules wherein at least one auction specification module performs at least one transaction selected from the group comprising a bid verification transaction, an information management transaction, a clearing transaction, and a registration transaction.
3. The programmable auction server as in claim 1, further comprising:
a set of trading primitives;
a script interpreter for interpreting a temporal protocol script representing an auction specification, the script including references to at least a portion of the set of trading primitives; and
means for switching an auction specification of one phase with an auction specification of another phase.
4. The programmable auction server as in claim 3, wherein at least one auction module of one phase is replaced with at least one auction module of another phase.

5. The programmable auction server as in claim 1, at least one phase comprising an interval in which at least one transaction occurs, the transaction is selected from the group comprising submitting a bid, admitting a bid, withdrawing a bid, and replacing a bid.
6. The programmable auction server as in claim 5, wherein the phase is terminated by a condition.
7. The programmable auction server as in claim 6, wherein the condition is a time period.
8. A universal auction system comprising:
 - a trading primitive;
 - a script generator for translating trading primitives to temporal protocol script;
 - a script interpreter for interpreting script protocol; and
 - a market specification console adapted to support a plurality of market protocols.
9. The universal auction system as in claim 8, the market specification console further comprising a plurality of rules wherein at least one rule is user-modifiable.
10. The universal auction system as in claim 9, wherein rules comprise market protocols.
11. The universal auction system as in claim 8, wherein the market specification console is coupled to a programmable auction server wherein said programmable auction server is adapted to receive market protocols from said


market specification console, the market specification console having a graphic user interface (GUI).


12. The universal auction system of claim 11, wherein a trader interface is coupled to a network.
13. The universal auction system of claim 12, wherein the trader interface is used by a trader to submit a bid.
14. A market specification console comprising:
 - means for specifying a plurality of market protocols;
 - means for displaying at least one market protocol; and
 - means for transmitting at least one market protocol to a programmable auction server.
15. A method of designing a universal auction system comprising:
 - generating a plurality of auction modules wherein at least one auction module corresponds to at least one function of an auction selected from the group comprising of a bid verifier, an information manager, a clearer, and a registration manager;
 - specifying a plurality of rules wherein a transaction comprises at least one rule; and
 - implementing at least one transaction comprising a bid verification, information dissemination, clearing, and registration of information.
16. The method of claim 15 further comprising:
 - displaying a rule to a market designer.
17. The method of claim 15 further comprising:


modifying at least one rule.

18. The method of claim 15 further comprising:
interpreting a scripted rule.
19. The method of claim 15 further comprising:
generating a scripted rule.
20. The method of claim 15 further comprising:
transmitting a rule to a programmable auction server.
21. The method of claim 15 further comprising:
maintaining a status of bids.


1/6

**Fig 1a**

**Fig. 1b**

**Fig. 2**

4/6

**Fig. 3**




Fig. 4




Fig. 5

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US99/17248

A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) : G06F 17/60

US CL : 705/37

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 705/37; 707/505, 506, 507, 508; 345/962

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)
APS, WEST

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X,P	US 5,835,896 A (FISHER et al) 10 November 1998 (10.11.1998), abstract, figure 4, 5, 7, column 9, lines 19-22.	1, 2, 5-7, 15, 21
Y,P		3, 4, 8-14, 16-20
Y,P	US 5,905,975 A (AUSUBEL) 18 May 1999 (18.05.1999), column 2, lines 37-65.	3, 9
Y,P	US 5,844,554 A (GELLER et al) 01 December 1998 (01.12.1998), abstract, figure 2, column 3, lines 40-44.	3, 4, 8-14, 16-20
A,P	US 5,890,138 A (GODIN et al) 30 March 1999 (30.03.1999), abstract.	1-21
A	US 4,789,928 A (FUJISAKI) 06 December 1988 (06.12.1988), abstract.	1-21

☐ Further documents are listed in the continuation of Box C.

☐ See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" documents of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" documents of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" documents member of the same patent family

Date of the actual completion of the international search

15 September 1999 (15.09.1999)

Date of mailing of the international search report

18 OCT 1999

Name and mailing address of the ISA/US

Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No.

Authorized officer

Robert Weinhardt

Telephone No. (703) 305-9780




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : G06F 17/60		A1	(11) International Publication Number: WO 00/17797
			(43) International Publication Date: 30 March 2000 (30.03.00)
(21) International Application Number: PCT/US99/21600		(72) Inventors: ALAIA, Marc; 113 Grandview Avenue, Glenshaw, PA 15116 (US). BECKER, David, J.; 22 Sewickley Hills Drive, Sewickley, PA 15143 (US). BERNARD, Anthony, F.; 2518 Lindenwood Drive, Wexford, PA 15090 (US). HECKMANN, Daniel, C.; 4889 East Willock Road, Pittsburgh, PA 15227 (US). KINNEY, Sam, E., Jr.; 314 Maple Lane, Sewickley, PA 15143 (US). MEAKAM, Glen, T.; 703 Cochran Street, Sewickley, PA 15143 (US). RAGO, Vincent, E.; 15 Roxbury Road, Pittsburgh, PA 15221 (US). RENEAU, Jason; 403 Marlborough Street, Boston, MA 02115 (US). ROBERTS, Frederick, W.; Apt. 803, 5 Grandview Avenue, Pittsburgh, PA 15221 (US). RUPP, William, D.; 2151 Cayuda Drive, Pittsburgh, PA 15239 (US). STEVENS, Robert, G.; Apt. 1, 5518 Ellsworth Avenue, Pittsburgh, PA 15232 (US).	
(22) International Filing Date: 17 September 1999 (17.09.99)			
(30) Priority Data:			
60/101,141	18 September 1998 (18.09.98)	US	
60/110,846	4 December 1998 (04.12.98)	US	
09/252,790	19 February 1999 (19.02.99)	US	
(71) Applicant: FREEMARKETS, INC. [US/US]; One Oliver Plaza, 210 Sixth Avenue, Pittsburgh, PA 15222 (US).			
		(74) Agent: BOSWELL, Mary, Jane; Morgan, Lewis & Bockius LLP, 1800 M Street, N.W., Washington, DC 20036-5869 (US).	
		(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).	
		<p>Published</p> <p><i>With international search report.</i></p> <p><i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i></p>	

(54) Title: METHOD AND SYSTEM FOR CONDUCTING ELECTRONIC AUCTIONS

(57) Abstract

A method and system for conducting electronic auctions is described. A dynamic lot closing extension feature avoids collisions in closing times of multiple lots by dynamically extending the closing time of a subsequent lot if a preceding lot's closing time is extended to be too close to the subsequent lot's then-currently scheduled closing time. Scheduled closing times can be extended with a flexible overtime feature, in which the properties of the event triggering the extension and the duration of the overtime period(s) can be tailored to a particular auction, particular lots of products within an auction, and to the particular time within an auction process. The bidding status of a lot can be set to a "pending" status after the nominal closing time for submission of bids to allow bidders to alert the auction coordinator of technical problems in submission of bids. This allows the possibility for a lot to be returned to open status for further bidding by all bidders. The auction may be paused by the auction coordinator to correct technical, market and miscellaneous problems that may arise during the course of an auction. Individual bid ceilings can be set for each bidder so that they are required to bid lower than certain thresholds determined in advance of the auction. Failsafe error detection is performed to prevent erroneous bids from entering the auction. The auction coordinator has the ability to override any erroneous bids that are entered to prevent prejudice to the auction.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

METHOD AND SYSTEM FOR CONDUCTING ELECTRONIC AUCTIONS**Background of the Invention**

5 The disclosed inventions relate generally to conducting electronic auctions, and in particular to business-to-business bidding auctions for industrial purchasers.

Traditional Procurement Models

Procurement of supplies has traditionally involved high transaction costs, especially information search costs. The introduction of electronic commerce has introduced new
10 methods of procurement that lower some of the transaction costs associated with procurement. Online procurement, or business-to-business electronic commerce, matches buyers and suppliers so that transactions can take place electronically. There are three models for online procurement: catalog, buyer-bidding auction, and seller-bidding auction.

The "catalog" model of online procurement was the first to be developed. The first
15 electronic catalogs were developed by suppliers to help customers obtain information about products and order supplies electronically. These first electronic catalogs were single-source, i.e. they only allowed customers to obtain information and products from that supplier.

However, customers were not satisfied with being "locked in" to one supplier - they wanted to be able to compare a number of competing products to be sure of getting the
20 product features they wanted, at the best price. So suppliers with single-source electronic catalogs started to include competitors' products on their systems. An example of this is American's SABRE system, which includes offerings from competing suppliers (airlines), thereby further reducing information search costs. By offering competing products, the electronic catalog that offers competitor's products becomes an "electronic
25 market".

Many of these systems are biased towards the supplier offering the electronic market. Procurement costs can be further lowered with an unbiased electronic market that promotes competition.

For standard products and services, the need to have an unbiased market has been met
30 for many industries by third party "market makers." For example, Inventory Locator Services has compiled a database that lists all airplane parts suppliers that have a certain item in stock. Buyers dial into the database to get information on the parts they need. Here, it is a third party, Inventory Locator Service, not a supplier, creating the unbiased electronic market.

The electronic catalog model of electronic commerce involves one buyer and one seller at a time. When many buyers compete for the right to buy from one seller, a buyer-bidding auction model is created. A noteworthy example of the buyer-bidding auction model is that operated by PriceLine.com and described in U.S. Pat. No. 5,794,207 issued to Walker et al. In this system, potential buyers compete for airline tickets by submitting a bid for an airline ticket on the PriceLine website, and airlines can choose to accept a bid, thereby committing the buyer to buy the ticket.

The catalog and buyer-bidding auction types of electronic markets do not work in some situations however. If the required product is custom, it is not possible for suppliers to publish a set price for a catalog market. Likewise, it is not possible for buyers to identify the product they want to bid on in a buyer-bidding auction. There are fewer suppliers and no standard product and pricing information available for the buyer of custom industrial products. Traditionally, when a company requires a custom industrial product, procurement is made by a buyer for the company who searches for a supplier and acquires price quotes from a potential supplier for the needed custom product. The search is slow and somewhat random because it usually relies heavily on personal relationships. The costs associated with locating vendors, comparing their products, negotiating, and paperwork are a big factor in the make-or-buy decision. The cost of switching suppliers is very large, which means that the quoted price is probably not the lowest fair price and that it is hard for a new supplier to enter the market.

Therefore, buyers wanted to use auctions to save money. The assignee of the present application developed a system wherein sellers downwardly bid against one another to achieve the lowest market price in a supplier-bidding auction.

Supplier-Bidding Auction

In a supplier-bidding auction, bid prices start high and move downward in reverse-auction format as bidders interact to establish a closing price. The auction marketplace is one-sided, i.e. one buyer and many potential suppliers. Typically, the products being purchased are components or materials. "Components" typically mean fabricated tangible pieces or parts that become part of assemblies of durable products. Example components include gears, bearings, appliance shelves or door handles. "Materials" typically mean bulk quantities of raw materials that are further transformed into product. Example materials include corn syrup or sheet steel.

Industrial buyers do not typically purchase one component at a time. Rather, they purchase whole families of similar components. At times, components are strongly related to one another. As an example, a buyer might purchase a given plastic knob in two different colors, or might purchase a nameplate in four different languages. These parts are so similar
5 that by definition they must be purchased from the same supplier - all of the knobs are made using the same mold. These items are therefore grouped into a single lot. Bidders in industrial auctions must provide unit price quotes for all line items in a lot.

Auction Process

The process for a supplier-bidding auction as conducted by the assignee of the present
10 application is described below with reference to Figs. 1 and 2. Fig. 1 illustrates the functional elements and entities in an supplier-bidding auction, while Fig. 2 is a process diagram that identifies the tasks performed by each of the involved entities.

The supplier-bidding auction model requires that the bidding product or service be defined by the buyer (identified as Buyer 10 in Fig. 1). An auction coordinator (Coordinator
15 20 in Fig. 1) works with buyers to prepare for and conduct an auction and to define the potentially new supply relationships resulting from the auction.

As shown in Fig. 2, in the Initial Contact phase 102 of the auction process, the coordinator contacts the buyer, and the buyer provides data to the coordinator. The coordinator prepares a specification 50 for each desired product or part 52. Once the product
20 52 is defined, potential suppliers for the product are identified. The coordinator 20 and buyer 10 work together to compile this list of potential suppliers from suppliers already known to the buyer as well as suppliers recommended by the coordinator.

The buyer makes a decision regarding which potential suppliers will receive invitations to the upcoming Auction. Suppliers that accept Auction invitations are then sent
25 notices regarding the upcoming Auction, as well as client software to install in preparation of participating the Auction.

In the RFQ phase 104, coordinator 20 works with the buyer 10 to prepare a Request for Quotation ("RFQ") 54. The coordinator collects and maintains the RFQ data provided by buyer 10, and then publishes the RFQ, and manages the published RFQ. The RFQ includes
30 specifications 50 for all of the parts 52 covered by the RFQ. In the RFQ 54, buyer 10 aggregates similar part or commodity line items into job "lots." These lots allow suppliers 30 to bid on that portion of the business for which they are best suited.

During the auction 56, bids 58 will be taken against individual lots (and their constituent parts 52) within RFQ 54. While bidders must submit actual unit prices for all line items, the competition in an Auction is based on the aggregate value bid for lots. The aggregate value bid for a lot depends upon the level and mix of line item bids and the quantity for each line item. Therefore, bidders submit bids at the line item level, but compete on the lot level.

In the Auction Administration phase 106, coordinator 20 coordinates the Auction and administers the Auction setup and preparation. The coordinator sends a RFQ to each participating supplier, and assists participating suppliers with preparation for the Auction.

In the Auction phase 108, suppliers 30 submit bids 58 on the lots and monitor the progress of the bidding by the participating suppliers 30. The coordinator assists, observes, and administers the Auction.

When the bidding period is over, the auction enters the Auction Results Administration phase 110. In this phase, coordinator 20 analyzes and administers the Auction results, which are viewed by buyer 10. The buyer begins to conduct final qualification of the low bidding supplier(s). The buyer may retain the right not to award business to a low bidding supplier based on final qualification results or other business concerns.

In the ensuing Contract Administration phase 112, the coordinator facilitates settlements 62 awarded by the buyer 10 to suppliers 30. Contracts 52 are then drawn up between buyer 10 and suppliers 30.

Communications and Software

The Auction is conducted electronically between potential suppliers 30 at their respective remote sites and the coordinator 20 at its site. As shown in Figs. 3 and 4, information is conveyed between the coordinator 20 and the suppliers 30 via a communications medium such as a network service provider 40 accessed by the participants through, for example, dial-up telephone connections using modems, or direct network connections. A computer software application is used to manage the Auction. The software application has two components: a client component 31 and a server component 23. The client component 31 operates on a computer at the site of each of the potential suppliers 30. The client component is used by suppliers 30 to make bids during the Auction. The bids are sent via the network service provider 40 to the site of the coordinator, where it is received by the server component 23 of the software application. The client component includes software

used to make a connection through telephone lines or the Internet to the server component.

Bids are submitted over this connection and updates are sent to connected bidders.

Bids can only be submitted using the client component of the application -- this ensures that buyers do not circumvent the bidding process, and that only invited suppliers participate in the bidding. Typically, bidders can see their bids and bids placed by other suppliers for each lot on the client component. When a bidder submits a bid, that bid is sent to the server component and evaluated to determine whether the bid is from an authorized bidder, and whether the bid has exceeded a pre-determined maximum acceptable price. Bids placed by a supplier are broadcast to all connected bidders thereby enabling every participating bidder to see quickly the change in market conditions and begin planning their competitive responses.

Conduct of an Auction

The conduct of an Auction will now be described in conjunction with the operation of the software application. The Auction is conducted on a specified date, and commences at a specified time. Bidding on each of the lots of products involved is scheduled to begin simultaneously at the start time for the Auction. Each lot is assigned a scheduled closing time after which further bids by potential suppliers submitted via the client application will not be accepted by the server application. The closing times for the lots are staggered so that they are not coterminous.

Associated with each lot at any given time in the progress of the Auction is a bidding status. The possible bidding statuses are illustrated in Fig. 5. The status initially assigned to each lot, before the scheduled start time of the Auction, is "Available." This status indicates that the lot will be available for bidding in the Auction. In the normal sequence of an Auction, the next bidding status is "Open," which indicates that the Auction is underway and that bids can be submitted for the lot. There are two possible bidding statuses to which a lot with an "Open" status can change: "Overtime" and "Closed." Overtime indicates an extension of time to allow bidding to continue after the scheduled closing time for bidding on the lot. If bidding is still active at the end of a first Overtime period of predetermined duration, the server application allows a second Overtime, and so on, until bidding has closed. "Closed" indicates that the server application will no longer accept bids on the lot. A lot's status changes from Overtime only to Closed.

Information regarding the Auction that can be displayed by the client application is illustrated in Figs. 6A - 6D at selected times during the conduct of an Auction. Fig. 6A illustrates lot information provided at the start of an Auction. The lot closing times are shown for each of

the lots (01 - 08) as 10:30:00 AM, etc. The lots are identified by name (e.g. "PP - Gas assist" which stands for "Gas Assist Polypropylene Parts" for lot 01). The indicated status for each lot is "OPEN." The "Market Bid" column indicates the current lowest or best bid for the lot. The current time (10:00:11 AM) is shown in the upper right corner of the display.

5 The presented information changes during the course of bidding. For purposes of illustration in this example, a series of bids for lot 01 is shown in Fig. 8. Selected bids are identified by an "Event" code (A, B, etc.) in the first column. The bidder's identity is shown in the second column. The time at which the bid was submitted and the amount of the bid are shown in the third and fourth columns. Finally, the best bid in existence at the time of each
10 subsequent bid is shown in the last column.

The changes in status of lot 01 are also illustrated in Fig. 7 for selected times and corresponding bidding events during the Auction. Fig. 7A shows a time line for lot 01, with the bid event letters corresponding to the bids in Fig. 8.

15 This Auction employs a decision rule to trigger overtime that can be stated: "when a low bid is submitted during a first time interval t before the scheduled close, reschedule the close to occur later by one time interval t ." Thus, for a time interval t of one minute, a scheduled closing time of 10:30 is extended to 10:31 if overtime is triggered.

20 In this example, Bid A is received at 10:26:49. This bid has no effect on the status or on the scheduled closing time of lot 01, because it does not arrive within one minute of the scheduled closing time of 10:30.

25 When bid B is received, the status of lot 01 immediately changes to Overtime, because bid B is a low bid and is received at 10:29:06, within one minute of 10:30. The scheduled closing time is therefore delayed until 10:31, which is one increment t (one minute) after the original closing time of 10:30. This additional increment is available for bidders to consider whether to submit a bid in response to bid B.

When bid C is received, the status of the lot remains overtime, but because it was a new low bid and was received at 10:30:03, within one increment t of the then-scheduled closing time of 10:31, the scheduled closing time is further delayed by one increment t to 10:32.

30 When bid D is received at 10:30:45, there is no effect on the status of the scheduled closing time, because although the bid is a new low bid (\$371,373) it is not received within one minute of the then-scheduled closing time of 10:32.

Although Bid E is received within one minute of the scheduled closing time of 10:32, it is not a new low bid (i.e. is greater than 371,373) and therefore no additional time is added. Lot 01 therefore closes at 10:32.

Fig. 6B shows the status of the Auction at 10:27. Lot 01 is shown as "Open," with a current Market Bid (best current bid) of \$374,586. This reflects the status after bidding several bids have been received. Fig. 6C illustrates the status of the Auction at 10:30 AM, after bids B and C. In bid B, Bidder15 submitted another best bid (\$373,063), which initiated a one-minute overtime period, extending the closing time for lot 1 to 10:31. In bid C, Bidder7 submitted another best bid (\$372,500), which initiated another one-minute overtime period, extending the closing time for lot 1 to 10:32. Bid D, submitted at 10:30:45 was another best bid (\$371,373), but was not submitted within one minute of the 10:32 closing time. Bid E, although submitted at 10:31:45, within one minute of closing, was not a new low bid and therefore did not extend the closing time for Lot 1. Lot 1 therefore closed at 10:32, with a Market Bid of \$371,373, as shown in Fig. 6D (which shows the status of the Auction at 10:32:05).

Bidding Dynamics

Suppliers prepare their price quotes in light of a number of factors. These factors include raw material prices, the design of existing dies or fixtures, the dimensional tolerance required of the component, the amount of engineering support the purchaser desires, the speed with which this particular buyer pays invoices, and the distance the product must be shipped.

Supplier-specific factors also affect the price quotes. Capacity availability, desirability of this particular buyer as a customer, desired levels of profit, and desire to diversify into other markets can all affect the price the seller is willing to accept to supply the needed product. Market-specific factors that are not predictable during the preparation of quotations but that are evident during the auction can also be important in determining, for example, how aggressively other participants may bid.

Because business-to-business auctions are conducted for important custom components, low bidders may still be "passed over" if other bidders demonstrate non-price advantages.

Sometimes auctions involve parts that this purchaser has procured before, and are possibly being made currently by one or more suppliers. These would be termed "existing parts." When a part is currently being made by a supplier, that supplier would be termed the "incumbent supplier." In an auction situation, the incumbent supplier is placed in a position of having to defend its contract with the purchaser.

Incumbent suppliers are expected to behave differently than outsiders. An incumbent, for example, knows that the buyer's switching costs favor the incumbent even at a price premium to the market. Because the buyer may pass over low bidders incumbent suppliers can take advantage of their incumbent status.

5 Certain human factors must also be considered when conducting business-to-business auctions for industrial purchasing. If not considered, these human factors can interfere with achieving desired outcomes. Bidders must be comfortable with the auction software. Bidders often speak English as a second language, or not at all, making it desirable to provide interpreters.

10 Bidders must often respond to multi-million-dollar decisions in a few seconds. The fast response required creates cognitive limits--a bidder cannot realistically focus on more than one decision at a time. Many bidders are under some sort of emotional stress when participating, due to the change involved. In some cases, incumbent bidders are literally "fighting for their lives" in situations where losing the contract in question literally means losing their business.

Problems with Prior Auction Process

15 The prior auction process described above has been found to produce suboptimal results for buyers in light of the market dynamics issues identified above in some circumstances. The problems include: a) multiple lot closing time collisions; b) premature lot closings; c) difficult and inflexible bidding constraints due to lot/line item structure; d) possible prejudice to bidders resulting from technical disruptions; and e) possible prejudice to bidders resulting from
20 submission of erroneous bids.

 The first problem is collision of closing times for multiple lots. As described above, the initially scheduled closing times for multiple lots are staggered, so that the lots close at different times, with 10-20 minute intervals between lots. This allows suppliers who would like to bid on multiple lots the opportunity to do so, without having to bid on each lot at the same time. By
25 spacing the closing times for each lot, a supplier knows that while bidding on one lot, the next lot in the Auction will not close. This staggered closing is one way to work around cognitive limits - each lot is sequenced so that bidders can pay attention to one lot at a time.

 Overtime delays on an early lot can reduce the time interval before the scheduled closing time of a subsequent lot. In fact, overtime delays have at times overrun the scheduled closing
30 time of a subsequent lot. This situation begins to tax cognitive limits, and bidding opportunities on the subsequent lots are often missed. Although this problem might be resolved by spacing market closing times at a substantial distance apart, experience has shown that even this approach

would not be sufficient. For example, in one Auction with 2 lots scheduled with 20 minutes between closing times, actual bidding on the first lot continued for 5 hours and 31 minutes after scheduled close.

5 The second problem is premature closing of bidding on lots. Just as in an in-person auction, bidding activity tends to increase close to the scheduled closing time. Like the "going, going, gone" auction concept, it is possible to achieve a better auction price if the auction is allowed to continue if bids are still being made. As described above, this concept is implemented through the use of "Overtime," by which the closing time of a specific lot is automatically extended based on the flow of bids into the Auction. Overtime prevents bidders from hanging
10 back and submitting last minute bids in an attempt to prevent competitive reaction.

In the prior system, if a valid, low bid is received in a specified time interval before a lot's scheduled closing time, then the closing time is amended (delayed) to give other bidders more time to react to the late-arriving bid. A bid for second place, something an incumbent supplier might be expected to do, would not trigger an overtime. Unlike in-person auctions, industrial
15 auctions need to allow second place bids. Thus, it has been found that this is an overly simplistic model, which may still be cutting off bidding too soon. A low bidder needs a chance to react to a second place bid, but it cannot if that second place bid does not trigger overtime. Therefore, it would be desirable to be able to trigger Overtime, or extend Overtime, on the basis of more complex bid scenarios.

20 It has also been found that it would be preferable to have more flexibility in the operation of overtime. Overtime is currently implemented with fixed offsets between lot closing times, with fixed trigger time frames (the period before scheduled closing or current Overtime ending), and fixed extension periods for Overtime. In industrial markets, bidding events involve commodities of varying complexity and component packages of different sizes. Accordingly,
25 bidders may need more or less overtime to respond to a bid. The amount of overtime may need to be customized for specific bidding events or for individual lots within an Auction to obtain the optimal market dynamic. It is therefore desirable to provide more flexibility in Overtime.

Another difficulty encountered by bidders in the prior system is that bids needed to be made at the line item level. However, the auction takes place at the lot level, where all of the
30 item quotes are added up to one sum. This dual structure results from the nature of the industrial market. Price quotations may be built from many cost elements that are added up to form price quotes for individual items or groups of items. Some cost elements or items within a market may

be negotiable and others may be fixed depending on factors specific to each bidder. For example, a fabricator may not have control of raw material costs. The competition for a lot can thus involve many independent and dependent factors. Bids are placed in real-time and often in rapid successions. This requires bidders to quickly adjust price quotations for an entire lot, even though
5 this lot may be comprised of hundreds of individual items or cost elements. Initial online auctions only allowed line item price adjustments, and it was difficult to fine-tune the mix of bids. A bidder would have to individually adjust line items, while the software calculated new total lot price bids. This was frequently too time-consuming to keep pace with the auction.

With the time constraints on bidding, bidders wanted the ability to be able to rapidly
10 adjust the lot price without specifically changing individual line items. Therefore, "pro rata" bid adjustment was developed. With pro rata bid adjustment, bidders could change the total lot price quote, and the software would apportion pro rata the change across individual line items in the lot. However, a pro rata apportionment may result in individual items being priced at levels that are uneconomic for the bidder. For some items the bidders may wish to set decision rules for
15 adjusting the unit price quotes at the line item level. For example, bidders may wish to lock-in a preset floor or ceiling on particular line items within a lot. These decision rules, or "locks" cause the pro rata adjustments to be applied selectively instead of universally.

Another problem that can arise either in regular bidding or in Overtime is addressing technical disruptions. Real-time technical or operational disruptions in the communications
20 network, software or hardware during the course of a bidding event may prevent a bidder from fully participating. Disruptions may arise in the online network or due to the equipment used by an individual bidder.

In addition, market events or imperfections may disrupt bidding activity and require communication with bidders before the auction can continue. For example, in one auction
25 bidding for an auction lot commenced and it became clear that some of the bidders were including tooling costs and some were not. The correct assumption was to exclude tooling costs. In this example, the bidders needed to be contacted and informed of the correction before the auction could proceed with all bidders on an equal footing.

Other external factors may disrupt the operation of the auction or participation by bidders.
30 In another example, a snow storm prevented many bidders from getting to work on time for the opening of the auction. This was not discovered until many bidders failed to commence bidding.

With a business-to-business transaction, it is typically commercially unacceptable for any bidder to be denied full participation. However, where disruptions arise in the course of a bidding event, the bidding activity and positions of other bidders cannot be prejudiced. Accordingly, market closing times may need to be suspended pending the resolution of a disruption experienced by one or more bidders. This is especially true where it is not clear how long it will take to resolve the problems encountered, including whether it will be possible to resolve all problems prior to the close of an auction lot.

Another problem that occurred in the previous system was the submission of erroneous bids. Bidding errors can happen due to the nature of the online auction. The pace or intensity of the bidding activity can exceed cognitive limits of bidders. In an effort to keep up, bidders enter incorrect quote amounts. Bidders are frequently interested in bidding on multiple lots. In the course of monitoring or switching between lots, the bidder erroneously enters a bid intended for Lot A into Lot B.

In the industrial market, the stakes can be quite large, with contracts awarded for millions of dollars and for contracts that can last for several years. Therefore, the economic damage to suppliers that would be incurred by honoring an erroneous bid is substantial.

In an online industrial auction, an incorrect bid can upset the bidding behavior of other bidders creating inequity for all participants in the market. All bidders in the marketplace view market conditions based on bids placed by other bidders, and respond. They do so relying on the implicit assumption that all bids are valid. If one of the bids is made in error, and the other bidders proceed to bid in response, the integrity of the auction is damaged. This can result in sub-optimal results for both buyers and suppliers.

Summary of the Invention

The problems encountered with the operation of the prior auction system are overcome by the auction system of the invention, which enables flexible dynamic alterations of market closing times, line item decision rules, auction pause, bidder-specific bid limits, and the ability to detect and prevent erroneous bids.

The amount of overtime added each time a relevant new bid is received can be adjusted to suit the complexity and size of the market lots involved in the bidding event. This permits bidders to have more overtime to respond to each new bid if the commodity complexity or market lot size require additional bid calculation time.

The trigger for additional overtime can be flexibly set to include a range of behind-market bidding activity. The type of behind-market activity that would trigger additional overtime includes bids or bidders of a defined rank behind market and bids of a defined absolute or relative (percentage) quantity behind the market. Additional trigger parameters can also be flexibly created to suit particular industrial markets. This ensures that extra overtime is triggered when certain bids upset the market dynamic.

In multi-market, or multi-lot bidding events, where prior market lots run into overtime, the closing times of subsequent market lots are dynamically altered during the course of an event to maintain a minimum time period between market closings. When market closings have been altered to accommodate this market dynamic, the market status is referred to as "Extended." This ensures that markets do not "collide" or run on top of one another when overtime from an earlier market lot continues past the scheduled closing time for a subsequent market lot. Bidders are guaranteed that markets close one at a time, so they are not placed in the position of having to bid for different market lots at the same time.

Once bidding activity has ceased, a lot is placed into "Pending" status prior to closing the lot. The lot closing time can be dynamically altered to meet the time period required to resolve any technical disruptions experienced by bidders. From Pending status, lots can be set to automatically close after a predefined period of time has elapsed with no technical disruptions reported by bidders, or the lot can be manually closed or held in pending status. Following the resolution of a technical disruption a lot can be returned to "Open" status for all participants to allow bidding activity to continue. Pending status will then be used again to dynamically alter lot closing times until all bidders have fully participated with no technical disruptions. This ensures that all bidders may place all bids irrespective of any technical disruptions that occur during the event without prejudicing the positions and bidding activity of other bidders.

"Pause" status ensures that disruptions to an auction can be dealt with equitably without prejudicing existing bidding activity or positions achieved by bidders. Auction Pause allows the auction coordinator to indefinitely "freeze" an auction without disrupting the bids placed before the pause went into effect. The Pause status can be applied to an entire auction (all lots) or to specific lots within an auction. The Pause status can be applied at any time during an auction and will override any other status currently in effect. In one embodiment, no bidder is able to submit bids while the auction is in Pause status. In an alternate embodiment, bids may continue to be

received but would not be entered into the auction. In this embodiment, bids could be held in a queue awaiting entry upon the removal of the Pause status.

Flexible bidder-determined line item decision rules for bidding permits bidders to set specific price decision rules for aspects of individual line items within a lot. For example, price limits for line items can be established at the initial price quote entered for that item or at a floor or ceiling above or below the initial quote. Different decision rules can be set for different items and rules can be set across some or all of the line items within a lot. Decision rules can be set dynamically during the course of the bidding event by the bidder.

Flexible line-item decision rules enable bidders to lock-in a fixed and variable portion of the price quote prior to the bid. Total bids for a lot can then be adjusted rapidly in response to market activity without changing individual line item quotes to uneconomic levels. In addition, bidders have the comfort of setting floors or ceilings on individual or cost component bids. During the bidding event, fixed components can be reevaluated and unlocked if necessary in response to movements in the market beyond original expectations. This bidding flexibility allows bidders to participate in the auction fully, and increases competition.

Bidder-specific bid rules enable an auction coordinator to maximize the competitive nature of an auction. In a downward auction, each bidder is assigned an individual bid ceiling by the buyer. This bid ceiling sets a maximum bid price that can be submitted by a supplier. The bid ceilings are advantageous to the buyer because it prevents a bidder from withholding pre-auction bids from the market.

The ability to detect, prevent and remove erroneous bids ensures that erroneous bids can be dealt with equitably without prejudicing other bidders or interrupting the auction. A confirmation box is presented to the bidder to confirm the amount of a bid to be entered. All bids must be checked and confirmed before they will be submitted to the auction server. Predefined "failsafe" rules allow the bidder to limit bids to a certain range. If during the course of an auction, the bidder bids outside that range, additional bid confirmations may be required, or the bidder may be prevented entirely from entering bids that fail "failsafe" criteria. The auction coordinator may override or remove erroneous bids from the auction in real-time. Bids can be quickly and efficiently removed before it prejudices the positions of other bidders and prior to lot closing.

Brief Description of the Drawings

Fig. 1 is a schematic illustration of the elements and entities involved in an auction process.

5 Fig. 2 is a schematic illustration of the tasks performed by the entities involved in an auction process.

Fig. 3 is a schematic illustration of the communications links between the coordinator and the potential suppliers in an Auction.

10 Fig. 4 is a schematic illustration of the client and server components of the computer software application that conducts the Auction and the hardware at the sites of the coordinator and the potential suppliers on which the client and server components operate.

Fig. 5 is a schematic illustration of the possible bidding states in the prior auction system.

Figs. 6A - 6D illustrate the information displayed by the client application in the prior auction system at various times during a sample Auction.

15 Figs. 7A - 7B illustrate the change in bidding status of one lot in the Auction illustrated in Figs. 6A - 6D.

Fig. 8 illustrates a series of bids submitted on one of the lots during the Auction illustrated in Figs 6A - 6D.

Figs. 9A - 9B illustrate the changes in bidding status and closing times for multiple lots using the dynamic lot closing extension feature.

20 Fig. 10 is a schematic illustration of the possible bidding states in the auction system.

Fig. 11 is a flow chart illustrating the operation of the dynamic lot closing extension feature.

Fig. 12 is a flow chart illustrating the operation of the flexible overtime feature.

Fig. 13 is a flow chart illustrating the operation of the pending feature.

25 Fig. 14 is a flow chart illustrating the operation of the failsafe error detection features.

Figs. 15A-15C illustrate error detection warning and confirmation messages.

Detailed Description

The auction method and system of the invention are described below. Seven aspects of the system and method are described: a) dynamic lot closing extension; b) flexible overtime; c) 30 flexible bidder-determined line item decision rules; d) pending status; e) bidder-specific bid limits; f) auction pause; and g) error detection and prevention.

Dynamic Lot Closing Extension

The problem identified above of multiple lot closing collisions is addressed with the dynamic lot closing extension feature. This feature involves rescheduling, or extending, the closing time of a subsequent lot when the closing time of a preceding lot is extended to the point where it becomes unacceptably close in time to the subsequent lot's then-scheduled closing time. Thus, this feature involves adding a rule to the lot closing determination that can be stated as: "Maintain a minimum time interval between the closing time of one lot and the closing time of the next subsequent lot." This feature is illustrated with reference to Figs. 9A - 9B.

Fig. 9A illustrates a time line divided into time intervals of Δt between times t_1 , t_2 , etc. The scheduled bidding periods for two lots in the Auction are times t_1 (the opening time for the Auction) through t_6 (the initially scheduled closing time) for Lot X, and time $t_1 - t_{11}$ for Lot Y. As described above with reference to the prior system, the scheduled closing times t_6 and t_{11} are staggered to permit potential suppliers to focus their attention on bidding on a prior lot (Lot X) before it closes, then to turn their attention to bidding on a subsequent lot (Lot Y) with adequate time before it closes. The time interval between the initially-scheduled closing times t_6 and t_{11} is five time increments Δt . The minimum time interval that is to be maintained between the closing time is three time increments Δt .

Fig. 9B shows the changes of status of various parameters in the auction as bids are received. Fig. 9B identifies the time interval during which the bid is received, the bidding status of Lot X before and after the bid is received, the bidding status of Lot Y before and after the bid is received, the closing time of Lot X before and after the bid is received, and the closing time of Lot Y before and after the bid is received.

The Auction begins at time t_1 . At the beginning of the Auction, and during the initial, course of bidding, both lots have a bidding status "Open." During the course of bidding, a bid submitted on Lot X can trigger an extension of Lot X's closing time (e.g. a new market bid submitted within a predetermined amount of time before the closing time). Thus, bids A and B do not change the bidding status of Lot X or the closing times of the lots, because they are not received within a trigger period before the scheduled closing time of Lot X (in this instance, the trigger period is one interval Δt). However, bid C, which is a new low bid received within the time interval $t_5 - t_6$ (within Δt of closing time t_6), triggers "Overtime" for Lot X. This is reflected in Fig. 9B, which indicates that the bidding status of Lot X was "Open" before the bid and "Overtime" after the bid. The scheduled closing time for Lot X is extended by an Overtime

interval (defined in this example to be one interval Δt) from t_6 to t_7 . Since there are still three time intervals Δt between the closing time of Lots X and Y ($t_7 - t_{11}$), there is no change to the closing time of Lot Y.

5 When Bid D is received, the status of Lot X remains "Overtime," but because it was received within one increment Δt of the then-scheduled closing time t_7 , the scheduled closing time is further extended by one increment Δt to t_8 . Again, there are still at least three intervals Δt between the lots' closing times ($t_8 - t_{11}$) so there is no effect on the closing time of Lot Y.

10 When Bid E is received, both the bidding status and the closing time of Lot X are unaffected, because the bid is received more than one interval before the scheduled closing time t_8 .

Finally, when Bid F is received in the interval between t_7 and t_8 , the closing time for Lot X is extended by another increment Δt to t_9 . Because this extension in Lot X's closing time would reduce the interval between the lots' closing times to below the minimum interval of three Δt 's, Bid F triggers Lot Y to change status from Open to Extended, and extends the closing time for Lot Y to t_{12} .

15 The Extended status can be applied to more than one subsequent lot. Thus, if the rescheduled closing time for the first lot reduces the interval to the second lot's closing time to less than the minimum interval, and the second lot's closing time is therefore extended sufficiently long that it in turn is too close to the scheduled closing time of a third lot, the third lot's closing time is in turn extended to be at least the minimum interval beyond the second lot's closing time.

20 Flexible market closing extensions is implemented in the auction system by storing a parameter in storage 22B that specifies the minimum interval between lot closings (see Fig. 4). This parameter is read from storage 22B into memory 22A for use by the server component of the application software when an Auction is loaded. When the closing time for a given lot is adjusted, the closing time for the immediately subsequent lot is evaluated to determine whether the time interval between the adjusted closing time and the subsequent lot's closing time is smaller than the minimum interval between lot closings specified. If it is, the subsequent lot's closing time is adjusted so that the difference between the two equals the minimum interval. If it is not, no adjustment is made to the closing time of the subsequent interval.

30 In an alternative embodiment, multiple parameters are stored in storage 22B. These multiple parameters specify the individual minimum intervals between the closing times of the

multiple lots. The individual minimum intervals can be based upon the characteristics of the lot itself or various indicia reflective of the market activity for the lot. The individual minimum intervals can therefore be dynamic in nature.

5 The operation of the flexible market closing extensions feature is illustrated in the flow chart of Fig. 11. The process for dynamically extending the closing time of multiple lots is shown as process 500. The Auction continually receives bids at step 510 until a predetermined interval of time before the scheduled closing time (the closing trigger interval). This is shown by the step 510 - step 520 loop. At the closing trigger interval time, the software checks to see if any trigger bids have been made at step 530. For example, if the closing time interval is 2
10 minutes, then at 2 minutes before the scheduled closing of the lot, the software will check to see whether any trigger bids have been made.

If no trigger bids have been made, the software checks to see whether it is closing time at step 540 before continuing to accept bids at step 510. The step 510 - step 520 - step 530 - step 540 loop may occur many times during the closing time trigger interval. If no trigger bids are
15 received during this time, then the lot closes at step 550 at the scheduled closing time.

If there is a trigger bid received during this time, then the process continues to step 560, where an Overtime interval is added to the scheduled closing time for that lot. The software then checks the closing time of the subsequent lot in step 570. A comparison is made in step 580 to determine if the closing time of the subsequent lot needs to be dynamically altered. If the interval
20 of time between the scheduled closing time of the Overtime lot and the scheduled closing time of the next lot is greater than or equal to the minimum lot closing interval, then no extensions are necessary, and the process returns to step 510, where bids for the current lot are again received.

If the interval of time between the newly scheduled closing time of the current lot and the scheduled closing time of the next lot is less than the minimum closing interval, then the next lot
25 needs to be extended to maintain the minimum closing time interval. This occurs in step 590.

If the next lot has to be extended, there is a chance, after multiple extensions, that it will run into the lot following it. Therefore, loop 590-570-580 is processed to check subsequent lots, and extend them if necessary, to maintain the minimum closing interval between each lot. This loop is executed until all lots as necessary have been extended to maintain the minimum closing
30 interval, at which point, bids for the current lot are again received at step 510.

Flexible Overtime

As described above, the prior auction system employed a simple, static model for Overtime, in which Overtime was triggered by a new low bid submitted within a predetermined time interval before a scheduled closing time, and the scheduled closing time was extended by a predetermined time period. This rule can be articulated as: "a market-setting low bid, received in the appropriate increment Δt before a scheduled closing triggers overtime and adds an increment Δt to the scheduled closing time." This Overtime rule was applied to all Auctions, to all lots in an Auction, at all times during an Auction. The flexible overtime feature of the present auction system addresses the shortcomings of the prior static overtime feature.

Flexible overtime has two aspects: variable duration of overtime intervals and variable overtime triggers. The variable duration aspect involves overtime extension intervals (time intervals by which a scheduled closing time, whether an initially-scheduled time or an extended time, is extended) and overtime trigger intervals (intervals before a scheduled closing time in which a bid meeting defined criteria will trigger overtime). These intervals can be the same (as in the prior system), or can be different from each other. The intervals can vary in length from lot to lot. Thus, the first lot might have an overtime extension interval and an overtime trigger interval of 1 minute, while a second, more complex or significant lot might have intervals of 2 minutes.

The second aspect of flexible overtime is variable overtime triggers. The trigger for each lot is bid-related, in that it involves an evaluation of some attribute or attributes of a bid against one or more trigger criteria. In the prior system, the attribute of a bid that was evaluated was the price of the bid with respect to the current best (lowest priced) bid. Overtime was triggered if the price of a new bid submitted within the appropriate interval was lower than the current best bid. In the disclosed auction system, overtime triggers can be based on other parameters and criteria. For example, the rank of a bid can be considered, and overtime triggered based in part on whether the rank of the bid is lower than the established criterion. Thus, the criterion can be established that a trigger bid must be a bid that is a new best bid or is the second or third best bid.

A further possible criterion, which can be applied in tandem with or independent of the ranking criterion, is that the bid must be sufficiently close to the best bid in terms of some parameter of quality. For the simplest bid evaluation, the parameter of quality for a bid is the bid price (e.g. in dollars). The criterion can be established that a trigger bid must have a price that

is lower than, or higher than but within a predetermined absolute or percentage difference from, the current best bid.

Thus, decision rules for overtime triggering can be defined in different ways, such as:

- A bid within 2% of the price of the then-low bid, if received within the appropriate time interval before the scheduled close time, triggers overtime
- Any bid, if received in the appropriate interval before a scheduled close, triggers overtime
- A bid by a supplier identified to the server as an incumbent supplier, if received in the appropriate time interval before a scheduled close, triggers overtime.

It might also be desirable to include the option to vary the overtime extension interval dynamically during the course of the Auction.

It should be noted that an overtime trigger can also be based upon evaluations of the characteristics of a subgroup or the entire group of bids (e.g., increase in frequency of bids, statistical analysis of bid values for entire group or particular supplier). As a general rule, the overtime trigger seeks to extend the auction for a lot if there is any indication that further bidding would somehow be advantageous to the buyer.

Flexible overtime can be implemented in the illustrated auction system in a variety of ways. In one embodiment, a parameter is stored in storage 22B that specifies the length of the overtime period for each lot. This parameter is read from storage 22B into memory 22A for use by the server component of the application software when an Auction is loaded. When overtime is triggered on a given lot, the server component adds the value of that lot's overtime parameter to the market closing time, adjusting its closing time accordingly.

Second, flexible overtime triggers are implemented by storing two parameters (in the same manner as the other parameters above): one that specifies the market rank necessary for a bid to trigger overtime and one that specifies a maximum distance, expressed as either a percentage or a nominal value, that a bid can be from the market-leading bid to trigger overtime. Each bid received is evaluated against these parameters to determine whether overtime should be triggered.

In an alternate embodiment, flexible overtime triggers are implemented by writing a specific module of code for each lot and referencing that code by the server component each time a bid is entered. The code module takes as input parameters such as the current bid, the next closest bid, the current bid time, the next closest bid time, the current low bid, the low bid time,

the then-scheduled close time, etc. Using logic that can be tailored to each lot, the code module returns a value of "true" if that bid should trigger an overtime, or "false" if it should not.

The operation of the flexible overtime feature is illustrated in the flow chart in Fig. 12 for process 600. Bids are received at step 610 until it is closing time for the current lot. In step 620, a determination is made whether the current bid was submitted during a closing time trigger interval (i.e. in the trigger interval before the currently-scheduled closing time). If not, the process loops back to step 610 until the next bid is received. If so, the bid is then evaluated at step 630 to determine if it is "better" (by whatever quality parameter is selected, such as price) than the current best bid. If so, then the process goes to step 640, where the best bid is set equal to the current bid. Under the rule set implemented in this embodiment, a new best bid in the overtime trigger interval always triggers overtime -- the process therefore proceeds to step 670, where overtime is initiated (or extended). If the current bid is not better than the best bid, the process proceeds from step 630 to step 650, where the determination is made whether the bid otherwise meets the overtime trigger criterion. In this case, the test is whether the bid is within some predetermined amount of a selected quality parameter (e.g. price) of the best bid. If it is, overtime is triggered (or extended). If not, the process loops back to step 610 to receive the next bid.

Flexible Bidder-Determined Line Item Decision Rules

This bidding feature of the auction system of the invention provides a method for allowing bidders to bid at the lot or line item level, while maintaining flexible decision rules on individual line items. Generally, a flexible line-item decision rule enables a buyer to automatically adjust aspects of line item level bids based upon one or more inputs at the lot or line item level.

In one embodiment, a flexible line-item decision rule is implemented by creating fixed and variable components of a bid on each of the line items that comprise a lot. Limits for individual items can be established at the initial price quote entered for that item or at a floor or ceiling below or above the initial quote. Different limits can be set for different line items and limits can be set across some or all of the items or components within a lot or market.

When bids are decreased at the lot level, the amount by which they are decreased at the line item level is pro rated across the unlocked portion of the line item price bids. Pro rata adjustments will not affect the locked (or fixed) component of the line items. Thus, the locked portion remains unchanged. However, limits can be locked and unlocked dynamically during the course of an Auction by the bidder.

This particular flexible line-item decision rule allows bidders to lock in a fixed and a variable portion of the price quote prior to the bid. Total bids for a lot can then be adjusted rapidly in response to market activity without changing individual item quotes to uneconomic levels. Further, bidders have the comfort of setting floors or ceilings on all or part of individual line item bids. During the Auction, fixed components can be re-evaluated and unlocked if necessary in response to movement in the market for the lot beyond original expectations.

In a case where a total bid is decreased by more than the sum of all unlocked line item bids, the bid is rejected. Therefore, a total bid will never be less than the sum of the locked portion of the line item bids. Items can be locked or unlocked at any time during the bidding event.

An example of the Lock/Unlock feature is shown below. Initially, line item 1 is partially locked and line item 2 is entirely unlocked.

<u>Line Item</u>	<u>Locked</u>	<u>Unlocked</u>	<u>Total Price</u>
1	\$1.00	\$9.00	\$10.00
2	\$0.00	\$20.00	<u>\$20.00</u>
			\$30.00 Lot Price

The bidder chooses to drop the lot price, by 10% (or \$3). The \$3 adjustment is then apportioned on a pro rata basis to the unlocked portions of the individual line item bids. In this case, line item #1 is reduced by \$0.93 (i.e., $\$3 \times 9/29$), and line item #2 is reduced by \$2.07 (i.e., $\$3 \times 20/29$). The result of these pro rata line item adjustments is reflected by the following:

<u>Line Item</u>	<u>Locked</u>	<u>Unlocked</u>	<u>Total Price</u>
1	\$1.00	\$8.07	\$9.07
2	\$0.00	\$17.93	<u>\$17.93</u>
			\$27.00 Lot Price

The locked / unlocked feature is implemented in the auction system by data structures maintained in the client software that support capture of locked and unlocked unit price bids at the line item level and by providing a user interface to accept the locked / unlocked information from the bidder.

It should be noted that the locked/unlocked feature represents only one example of a flexible line-item decision rule that can be implemented. Generally, a line item bid can be adjusted based upon one or more changes at the lot or line item level. These flexible line-item decision rule can be created to accommodate any pre-auction bidding strategy that could be

jeopardized by the bidder's interaction in a real-time auction event. For example, a customized flexible line-item decision rule can be created such that the price of a first line item maintains a specified proportion to the price of a second line item. This particular flexible line-item decision rule may be important where the bidder must ensure that one or more particular line item bids conform to internal corporate guidelines (e.g., marketing, accounting, sales, etc.). More generally, it is contemplated by the present invention that any aspect of a line item bid (e.g., unit price, quantity, delivery time, line item characteristic, etc.) can be related to, and thereby adjusted, based upon a change in one or more aspects of the supplier's bid at either the lot or line item level.

10 *Pending Status*

The pending status feature of the auction system of the invention provides an intermediate bidding status for each lot to transition the lot from a status in which bids can be submitted (Open, Overtime, Extended) to a status in which bids will no longer be accepted (Closed). The intermediate bidding status is "Pending." This status indicates that bids are not being accepted on the lot but that the lot may subsequently be returned to Open status for bidding. This allows a time period for a bidder who has missed an opportunity to bid because of a technical fault (e.g. communications or computer hardware or software failure) to contact the coordinator to alert the coordinator to the fault. The coordinator can then evaluate the asserted fault and determine whether it is appropriate to allow further bidding on the lot. If so, the lot can be returned to Open status for bidding. If not, the lot is Closed. The lot can be returned to Open status immediately upon the determination by the coordinator that this is appropriate, or it can be held in Pending status while a convenient time to re-open is scheduled.

Pending status is implemented in the illustrated auction system by storing two parameters in storage 22B: one parameter that specifies the length of the pending interval and one that specifies whether a lot should automatically close when that interval expires. The length parameter can be set differently for each lot. These parameters are read from storage 22B into memory 22A for use by the server component of the application software when an Auction is loaded. When the scheduled closing time for a lot is reached, the bidding status is set to "Pending" instead of "Closed." If the automatic close flag is set to "YES", then a clock begins to count down the pending interval. If no other intervention takes place and the pending interval expires, then the lot is closed automatically. If the automatic close flag is set to "NO," then the lot will remain in the Pending status until manual intervention takes place. Manual intervention

in either case can take the form of changing the automatic close flag (either from NO to YES or from YES to NO), returning the lot to open status and setting a new close time, or manually closing the market.

The operation of the pending status feature is illustrated in the flow chart of Fig. 13, as shown in process 700. Bids are received at step 710 until it is closing time for the current lot at step 720. Although not shown in Fig. 13, this process can include Overtimes and Extensions as described above. At the actual lot closing time, the software sets up for processing the pending status at step 730. Here Status is set to "Pending", the Auto_close flag is set to YES and the pending clock is started (pending_time = maximum pending time).

At this point, if no external events occur, the lot will remain in the Pending state through the pending time, and then become Closed. This is reflected through steps 750 - 780 - 785 - 760 - 770. The step 750 - step 780 loop is executed throughout the pending period until pending_time is 0, at which point step 760 is executed. Nothing has occurred that would change the value of Auto_close, so it is still YES, therefore step 770 will be executed, and the lot closes.

One external event that can occur is a bidder calling the coordinator during the Pending period to communicate problems that occurred during the bidding for that lot. If this happens, the coordinator manually changes Auto_close to NO in external event step 740. This will not affect anything in the loop 750-780 - the software continues to check the status during the pending time, but not the Auto_close flag. At the end of the pending time, step 760 is executed. This time, since Auto_close was changed to NO by the coordinator, the process loops back to step 780, where the status is checked. The loop 750-760-780 will be executed repeatedly until the coordinator manually changes either the Auto_close flag or the Status. If after investigation, it turns out that the bidding does not need to be returned to open status, then the coordinator can change the Auto_close flag back to YES 744, and the process will exit the loop at step 760, going to step 770, and closing the lot. If after investigation it is decided that the bidding should be reopened for that lot, the coordinator can manually change the status to OPEN. After the status is changed, the loop will exit at step 780, going to step 790. The closing time for this lot will be adjusted to a new scheduled closing time, and the Auction will start receiving bids again for that lot at step 710. The entire process 700 is repeated.

Bidding Statuses

The possible bidding statuses for the present auction system and method are identified in Fig. 10. In addition to the statuses identified in Fig. 5 for the prior auction system, the present

system includes the statuses of Extended and Pending. As shown in Fig. 10, a lot can change from Open status to Overtime, Extended or Pending. A lot can change from Overtime to Pending status. Further, a lot can change from Pending to Open or Closed status.

Auction Pause

5 Auction Pause allows the auction coordinator to indefinitely “freeze” an auction, without disrupting the bids placed before the pause went into effect. The pause status can be applied to an entire auction (all lots) or to specific lots within an auction. The Pause status can be applied at any time during an auction and will override any other status currently in effect. While in Pause status, all existing bids are preserved. An entire auction (or individual auction lots) can be
 10 held in Pause status for an indefinite period of time. In one embodiment, no bidder is able to submit bids while the auction is in Pause status. In an alternate embodiment, bids may continue to be received but would not be entered into the auction. In this embodiment, bids could be held in a queue awaiting entry upon the removal of the Pause status.

The auction coordinator determines the lot status that applies once the pause is removed.
 15 While in Pause status, the auction server clock will continue to operate. Hence, without any intervention by the auction coordinator, the lot status that applies once the pause is removed will be the lot status that would have been in effect in the normal course of operations had it not been for the pause (the underlying status). For example, if the scheduled lot closing time passes while the lot is in pause, and the auction coordinator lifts the pause status, the auction lot will return to
 20 “Closed” status. However, the auction coordinator can alter the scheduled timing that applies to all lots (i.e. alter the opening and closing times) to ensure the correct lot status applies once the pause is removed. Thus, all bidders see the auction server clock match the correct time while the auction coordinator can achieve any relevant lot status once the pause is removed.

For example, as shown below in Table 1, an online auction is scheduled to open at 9:00
 25 am at which time all lots will open. Current time is 8:45 AM so all lots are currently in Available status.

Current Time: 8:45:52 AM				
Lot #	Lot Name	Opening Time	Closing Time	Status
1	Screws	9:00:00 AM	9:30:00 AM	Available
2	Nuts	9:00:00 AM	10:00:00 AM	Available
3	Bolts	9:00:00 AM	10:30:00 AM	Available

Table 1

Suppose there is a technical disruption at 8:50 AM and the auction coordinator is not sure how long it will take to resolve the issue. Instead of canceling the auction, the auction coordinator places the entire auction in Pause status. The auction now appears as shown in Table 2.

Current Time: 8:50:31 AM				
Lot #	Lot Name	Opening Time	Closing Time	Status
1	Screws	9:00:00 AM	9:30:00 AM	Pause
2	Nuts	9:00:00 AM	10:00:00 AM	Pause
3	Bolts	9:00:00 AM	10:30:00 AM	Pause

Table 2

The technical disruption is resolved at 9:32 AM. At this point, if the auction coordinator lifted the Pause status, Lot 1 would immediately go to Pending and then to Close three minutes later. (In this example, the pending interval has been set to a total of 5 minutes after scheduled close by the auction coordinator.) Bidders would therefore not have an opportunity to place bids for Lot 1. To avoid this outcome, the auction coordinator decides to alter the opening times for all lots to 9:45 AM and shift the closing times to 30-minutes intervals thereafter. Once the Pause is lifted, this has the effect of returning all lots to Available status, and bidders can commence bidding when the lots open at 9:45 AM. The auction now appears as shown in Table 3. Note that the auction coordinator could also have shifted the closing times only. In that case, all lots would have gone to Open status and bidders could have commenced bidding immediately.

Current Time: 9:32:22 AM				
Lot #	Lot Name	Opening Time	Closing Time	Status
1	Screws	9:45:00 AM	10:15:00 AM	Available
2	Nuts	9:45:00 AM	10:45:00 AM	Available
3	Bolts	9:45:00 AM	11:15:00 AM	Available

Table 3

Bidding begins on all of the lots at 9:45 AM. Then a second technical disruption occurs at 10:10 AM. This interruption is estimated to take at least 10 minutes to resolve, which will not be fast enough to prevent Lot 1 shifting to Pending status at 10:15 AM and Closed status at 10:20 am (assuming a 5 minute Pending interval). In addition, since all lots are currently open, bids have already been placed on Lots 2 and 3. As the duration of the interruption is unknown, the auction coordinator decides to once again place all lots in Pause status until the technical difficulty is resolved. Bidders are prevented from entering bids during this time or bids may be placed into a queue to await the lifting of the Pause status, but all existing bids are preserved. The auction now appears as shown in Table 4.

10

Current Time: 10:10:09 AM				
Lot #	Lot Name	Opening Time	Closing Time	Status
1	Screws	9:45:00 AM	10:15:00 AM	Pause
2	Nuts	9:45:00 AM	10:45:00 AM	Pause
3	Bolts	9:45:00 AM	11:15:00 AM	Pause

15

Table 4

The technical disruption is resolved at 10:30 AM. The auction coordinator alters the closing times (but not the opening times) of the lots to give the bidders an additional 10 minutes to bid on Lot 1, and to space out the closing times of Lots 2 and 3 at 20 minute intervals. The auction coordinator does not change the opening times of the lots, and therefore preserves bids that have already been made. All lots return to Open status when the Auction Pause is lifted and may commence bidding immediately. The auction now appears as shown in Table 5.

20

Current Time: 10:30:25 AM				
Lot #	Lot Name	Opening Time	Closing Time	Status
1	Screws	9:45:00 AM	10:40:00 AM	Open
2	Nuts	9:45:00 AM	11:00:00 AM	Open
3	Bolts	9:45:00 AM	11:20:00 AM	Open

Table 5

Bidding continues on Lot 1 until 10:55 before the final bid is placed and the lot shifts to Pending status (i.e. 15 minutes of Overtime). Assuming a minimum interval of 10 minutes between lot closing times, this will push Lot 2 into Extended status moving the scheduled closing time back to 11:05 AM. The auction now appears as shown in Table 6.

Current Time: 10:55:07 AM				
Lot #	Lot Name	Opening Time	Closing Time	Status
1	Screws	9:45:00 AM	10:55:00 AM	Pending
2	Nuts	9:45:00 AM	11:05:00 AM	Extended
3	Bolts	9:45:00 AM	11:20:00 AM	Open

Table 6

Now it is discovered that some, but not all, of the bidders on Lot 2 have made an incorrect assumption in preparing their quotes. The auction coordinator needs time to communicate with all bidders and correct the error, and estimates that this will require 10-15 minutes. Therefore it will take too long to give all bidders an equal chance of understanding the situation before Lot 2 closes. However, there is no disruption to Lot 3, which can continue as scheduled. The auction coordinator places Lot 2 in the Pause status, and changes the scheduled closing time for Lot 2 to 11:40 AM. No change is made to Lot 3. Bidding continues on Lot 3, but no bids can be placed on Lot 2 at this point. Lot 2 is now scheduled to close after Lot 3. The auction now appears as in Table 7.

Current Time: 10:56:12 AM				
Lot #	Lot Name	Opening Time	Closing Time	Status
1	Screws	9:45:00 AM	10:55:00 AM	Pending
2	Nuts	9:45:00 AM	11:40:00 AM	Pause
3	Bolts	9:45:00 AM	11:20:00 AM	Open

Table 7

By 11:17, all of the bidders have received the correct information for Lot 2 and re-calculated their bids. At this point, the Lot Pause can be lifted from Lot 2. Although bidders are now engaged in the activity leading up to the close of Lot 3, the lot extension buffer will ensure that bidders have adequate time to return to Lot 2 once Lot 3 bidding ends. The auction now appears as shown in Table 8.

Current Time: 11:17:22 AM				
Lot #	Lot Name	Opening Time	Closing Time	Status
1	Screws	9:45:00 AM	10:55:00 AM	Closed
2	Nuts	9:45:00 AM	11:40:00 AM	Open
3	Bolts	9:45:00 AM	11:20:00 AM	Open

Table 8

The lot statuses will now follow their normal procedures through to the end of the auction.

Bidder-Specific Bid Limitations

It is common for sellers (upward auctions) and buyers (downward auctions) to place market limitations on the amounts that bidders may submit as valid bids during the course of an online auction. For example, a buyer may require that bidding start below a certain ceiling. In this case, the buyer is not interested in making a purchase at any price above that limit, and bids submitted above that ceiling are not accepted. Such a limitation applies across the board to all potential bidders (suppliers).

Use of a market-wide bid limitation is inadequate where the buyer can obtain some form of price discovery with respect to individual bidders prior to the online auction. For

example, it is not uncommon in industrial procurement for the buyer to receive bids from potential suppliers prior to an online auction. The buyer may have solicited a "first round" of bids ("pre-bids") prior to deciding to conduct the online auction, or a series of bids may arrive without solicitation from the buyer. At this point, the buyer has three options for conducting the online auction:

A first option is to set a ceiling at the highest pre-bid. In this case, suppliers who submitted lower pre-bids prior to the online auction may commence bidding at a level higher than their pre-bids. During the course of the event, the bidding activity may not reach the level of the lowest pre-bid. This could occur for one of two reasons.

First, since the pre-bids are still valid quotations, and there ends up being little competition from other suppliers, the leaders may feel no need to bid online at all until the market approaches the value of their pre-bids. This is a situation unique to auctions in industrial markets where the buyer can award to a non-low bidding supplier (switching costs and non-price variables establish "stickiness" in bidding behavior). Without the leaders bidding at all, there may not be enough competition to drive the online auction to its potential. Possibly, no new bids will be received online at all. The buyer in this case has lost the potential for the interactivity of the auction to produce a better result.

Second, if the rules of the online auction require the buyer to forego the pre-bids (for example, to avoid the problem described in (a)), then the leaders can start much higher than their pre-bids. In fact, the low bidding pre-bidder only needs to bid slightly lower than second place. If there was a significant gap between the pre-bids in first and second place, the leader may never be driven to bid online nearly as low as the pre-bid. The buyer will experience regret at not having taken the original low bid.

A second option is to set a ceiling at the lowest bid. In this case, some suppliers may be prevented from bidding because they cannot meet the ceiling. This does not matter if the buyer is indifferent over which supplier to award to (the buyer awards to the lowest bidder either at the ceiling or the market price if bidding goes below the ceiling). However, in industrial business-to-business auctions it is not uncommon for the buyer to choose a non-low bidding supplier (switching costs and non-price variables affect the final decision). Many suppliers who did not have the lowest bid prior to the online auction may want to reduce their bid to close the gap on the lowest placed bidder. They may not be able to match the lowest bid, but they may be able to improve their position. However, the ceiling in the online auction

prevents them from bidding at all. Thus, the buyer loses the benefit of receiving the lowest bid possible from such suppliers.

A third option is to set a ceiling somewhere between the lowest and highest bid. Now the buyer is exposed to both of the problems outlined above, and must "second guess" the bidders as to the "best" level to set the ceiling. Note that this is a problem unique to industrial business-to-business markets. In most other auction situations, the market-leading bid automatically wins, and setting the ceiling at the lowest bid would be perfectly acceptable. It is only because of the fact that the buyer can award to any participant in the market, and may prefer a supplier who is not the lowest, that this problem arises.

The bidder-specific bid limitations feature addresses the shortcomings of market-wide bid ceilings. With this feature, an online auction can set up such that individual bidders have different limits on the bids that will be accepted during the course of the auction. For an upward auction, the seller may set different floor prices for different bidders. For a downward auction, individual ceiling prices can be established for bidders. This avoids the "buyer's (or seller's) regret" associated with the market-wide bid limitations described above.

Consider the following example illustrated in Table 9. In this example, the buyer had collected a "Round 1" series of pre-bids (in confidence) which are listed below in Table 9.

Historic Price = \$10,564,300						
Pre-bid Results				Actual Online Auction Results (w/Bidder-Specific Bid Limitations)		
Rank	Bidder	Bid	Savings (%)	Bidder	Bid	Savings (%)
1	Supplier A	\$ 8,515,383	19.4%	Supplier A	\$ 8,352,524	20.9%
2	Supplier B	\$ 9,129,639	13.6%	Supplier B	\$ 8,463,769	19.9%
3	Supplier C	\$ 9,635,396	8.8%	Supplier C	\$ 8,674,775	17.9%
4	Supplier D	\$10,289,320	2.6%	Supplier D	\$ 9,465,808	10.4%

Table 9

While the bids from Suppliers A and B were more attractive, the buyer actually preferred to deal with either Supplier C or D, who would not lower their price any further through manual negotiation. The buyer decided to hold an online auction but wanted to ensure that suppliers would not start bidding higher than their pre-bids. Since the bids were

received in confidence (as is often the case), the buyer could not simply enter opening bids equal to their previous best "on behalf" of the suppliers.

An online auction is then conducted on the basis that the pre-bids would be foregone, and only a supplier who participated in the online auction would be awarded the business.

- 5 Accordingly, all suppliers would have to re-bid to win the business. Instead of a market-wide ceiling, individual bid ceilings were established for each supplier equal to their pre-bid. For example, Supplier B could submit a bid online equal to or below \$9,129,639, but not higher. The individual bid ceilings are not visible to the other suppliers. The result of the online auction with bidder-specific bid limitations is also shown in Table 9.

- 10 As illustrated, all suppliers lowered their bids as a result of the online auction. Note that suppliers C and D did not drop their bids to meet the lowest bidder, but reduced their quote to a "walk-away" bid substantially lower than their offline bids. However, it is clear that if the buyer had established a market-wide ceiling at the lowest offline bid (\$8,515,383), Suppliers C and D would not have been able to bid at all. The buyer would have lost the
- 15 opportunity to award one of the preferred suppliers (Supplier C), at a bid that is \$960,621 better than the offline bid (\$9,635,396 less \$8,674,775). In an industrial supply market, the difference between Supplier C (\$8,674,775) and Supplier A (\$8,352,524) may not justify the intangible risk and qualification costs of switching from a trusted supplier to a new source.

Consider also the (hypothetical) outcome shown in Table 10 below.

Historic Price = \$10,564,300						
Pre-bid Results				Actual Online Auction Results (w/Bidder-Specific Bid Limitations)		
Rank	Bidder	Bid	Savings (%)	Bidder	Bid	Savings (%)
1	Supplier A	\$ 8,515,383	19.4%	Supplier A	\$ 8,515,383	19.4%
2	Supplier B	\$ 9,129,639	13.6%	Supplier B	\$ 8,874,012	16.0%
3	Supplier C	\$ 9,635,396	8.8%	Supplier C	\$ 8,821,191	15.5%
4	Supplier D	\$10,289,320	2.6%	Supplier D	\$ 9,465,808	10.4%

Table 10

In this example, as a result of the online auction, Suppliers B, C and D lowered their bids to the “walk-away prices” assumed above. Supplier A did not lower their bid but were forced (by the bidder-specific bid limitations feature) to place a bid equal to the bid placed offline. If they did not bid at all, according to the auction rules they would have been ineligible for an award.

Consider the potential outcomes in the absence of a bidder-specific bid limitations feature. In a first scenario, the buyer establishes a market-wide ceiling at the lowest offline bid (\$8,515,383). The result is shown below in Table 11.

Historic Price = \$10,564,300						
Pre-bid Results				Online Auction Results (w/Bidder-Specific Bid Limitations)		
Rank	Bidder	Bid	Savings (%)	Bidder	Bid	Savings (%)
1	Supplier A	\$ 8,515,383	19.4%	Supplier A	\$ 8,515,383	19.4%
2	Supplier B	\$ 9,129,639	13.6%	Supplier B	No bid	0%
3	Supplier C	\$ 9,635,396	8.8%	Supplier C	No bid	0%
4	Supplier D	\$10,289,320	2.6%	Supplier D	No bid	0%

Table 11

In this case, all suppliers would have been prevented from submitting a bid online, except for Supplier A. The buyer may still be able to accept the offline bids, but at best they lose the opportunity to receive a better bid from Supplier B, C and D.

In a second scenario, the buyer establishes a market-wide ceiling at the highest offline bid (\$10,289,320), and chooses to forego the right to accept the offline bids. The result is shown below in Table 12.

Historic Price = \$10,564,300						
Pre-bid Results				Online Auction Results (w/Bidder-Specific Bid Limitations)		
Rank	Bidder	Bid	Savings (%)	Bidder	Bid	Savings (%)
1	Supplier A	\$ 8,515,383	19.4%	Supplier A	\$ 8,863,448	16.1%
2	Supplier B	\$ 9,129,639	13.6%	Supplier B	\$ 8,874,012	16.0%
3	Supplier C	\$ 9,635,396	8.8%	Supplier C	\$ 8,926,834	15.5%
4	Supplier D	\$10,289,320	2.6%	Supplier D	\$ 9,465,808	10.4%

Table 12

In this case, Suppliers B, C and D compete by lowering their quotes in response to bids placed by the other suppliers until they each reach their walk-away price. Once they reach their walk-away price they stop bidding. When the lowest bid reaches Supplier B's walk-away price (\$8,874,012), all suppliers cease to bid except for Supplier A. Supplier A places one bid just below Supplier B to reach first place. With no response from Supplier B, the auction closes. The buyer has lost the potential to extract an additional \$348,065 from Supplier A (\$8,863,448 less \$8,515,383).

In a third scenario, the buyer establishes a market-wide ceiling at the highest offline bid (\$10,289,320), and chooses to retain the right to accept the offline bids. In this case, the outcome is highly dependent on the behavior and beliefs of the individual bidders. In the worst possible scenario, all suppliers are highly confident of their offline bids and see no reason to place a bid until they are challenged by a better bid online. In this situation, it is possible that no-one places a bid, each supplier waiting for someone else to make a move. The market closes with no activity and the buyer loses all potential gains from an interactive auction (Table 10).

In the best possible situation, Supplier A does not realize they have the leading bid and is concerned that someone else is better placed. Supplier A would likely place a bid above their walk-away price. Assume A places a bid at \$9,200,000, above B's offline bid but below C and D's. D responds with their walk-away bid, \$9,465,808 (the best they can do). C
5 responds and continues to bid against A until the leading bids go below B's offline bid. At this point B is drawn into the competition. Bidding will likely continue until B and C reach their walk-away prices. At this point, A does not need to bid further online, but will be bound to honor their pre-bid. The buyer has achieved all of the gains of Table 6.

A range of other scenarios could also arise, depending on how the bidders behave and
10 what the relative walk-away prices and offline bids are. If C and D had walk-away prices above B's offline bid, then C, D, and A would have stopped bidding before B was drawn into the competition. In which case, the result could have been considerably worse. The point here is that using an online auction can be risky for the buyer in some situations, due to the potential to share among suppliers data that might be better withheld. Bidder-specific bid
15 limitations help achieve the optimal outcome.

Error detection and prevention

It is not uncommon for a bidder to make errors when placing bids during an auction. The prior system prevented some of these errors through the use of a confirmation pop-up box on the bidder's user interface. When a bidder submits a bid, the software presents a
20 confirmation pop-up box to the bidder, as shown in Fig. 15A. This box repeats the lot and bid amount, and asks the bidder to confirm that this information is correct prior to sending the bid across the network to the auction server. The bidder must either confirm the bid by clicking on the "confirm" button or cancel the bid using the "cancel" button. Failure to take action at this point will result in no bid being entered. Once a bid is confirmed and sent to the auction
25 server, it is entered into the online auction and market information from that bid is displayed to all bidders.

However, the confirmation pop-up box is self-governing. It only helps in situations where the bidder believes the bid is incorrect; there is no *system-based* intelligence in the confirmation pop-up box. Therefore, some bidders have entered erroneous bids even though
30 they had to confirm the bids. The pace of the auction, and bidding on multiple lots simultaneously allows for bidder errors. Because erroneous bids affect the critical integrity of

the auctions, additional error detection and prevention features were developed using system-based intelligence.

One additional layer of protection is through failsafe functionality. Failsafe rules allow the auction coordinator to limit the bidders' ability to enter certain bids. The consequences for breaking these rules can also be established up front. First, a bidder may be required to make additional bid confirmations (beyond the first confirmation pop-up box) prior to submission and acceptance of the bid. Second, a bidder may be prevented entirely from entering bids that fail certain pre-defined criteria. One feature of the present invention is the ability to flexibly pre-define failsafe criteria, and flexibly predefine consequences if that criteria is met, all in relation to specific online auctions and different lots within an auction.

In one embodiment, the failsafe rules are implemented by the server component. In an alternate embodiment, the failsafe rules are implemented by the client component.

Another error prevention feature is the override function. Override allows the auction coordinator to override or remove erroneous bids from the auction in real-time. A bid can be quickly and efficiently removed before it prejudices the positions of other bidders. If a second bidder has already bid in response to an erroneous bid, all consequential bids can be removed as well. Accordingly, auctions can be completed by picking up from the point of the last valid bid, rather than starting over.

If a bid is overridden, the auction coordinator warns the bidders that an erroneous bid has been received and removed through a message that is sent to every bidder and appears as a warning on their user interface. The auction coordinator types in a text message and send it to each bidder over the same network that is running the auction. Message boxes appear on bidding screens and bidders must click "OK" before they can continue to bid.

As an example of these two features, Suppliers B, C, D, & E are engaged in a competitive interaction on Lot 1 of a multi-lot auction between 1:25 PM and 1:27:30 PM at a price between \$1.5 to \$1.6 million. The lot is scheduled to close at 1:40 PM, as shown in Table 13.

LOT 1 - Historic Price = \$1,768,334			
Bidder	Bid Time	Bid	Savings (%)
Supplier A	1:07:59 PM	\$1,801,048	(1.85%)
Supplier B	1:25:07 PM	\$1,585,190	10.36%
Supplier C	1:25:49 PM	\$1,563,522	11.58%

LOT 1 - Historic Price = \$1,768,334			
Supplier D	1:26:32 PM	\$1,555,230	12.05%
Supplier C	1:27:10 PM	\$1,549,674	12.37%
Supplier E	1:27:30 PM	\$1,542,899	12.75%

Table 13

5

Prior to the opening of the auction, the auction coordinator activated three failsafe rules. First, once a bidder has placed an initial bid, they may not bid more than 20% below their immediately preceding bid. In this example, the rule is defined so that a bidder is prevented from submitting such a bid at all. Second, bidders may not place a bid more than 10% below the current market leading bid. A bid that is below this level activates a warning box displayed in Fig. 15B. Bidders must confirm such a bid for a second time before it will be submitted. Third, no bid more than 70% below historic price will be accepted at any point throughout the auction.

Supplier F decides to commence bidding on Lot 1. On their opening bid, Supplier F omits a zero from the bid amount, entering \$153,507 instead of \$1,525,070. This is an opening bid 91% below historic and 78% below market, thereby violating the second and third rules. Supplier F is prevented from entering this bid.

Next Supplier F enters the bid of \$1,525,070. This bid does not violate any failsafe rule and is accepted. Supplier C responds with a lower bid and the market is now as shown in Table 14.

20

LOT 1 - Historic Price = \$1,768,334			
Bidder	Bid Time	Bid	Savings (%)
Supplier A	1:07:59 PM	\$1,801,048	(1.85%)
Supplier B	1:25:07 PM	\$1,585,190	10.36%
Supplier C	1:25:49 PM	\$1,563,522	11.58%
Supplier D	1:26:32 PM	\$1,555,230	12.05%
Supplier C	1:27:10 PM	\$1,549,674	12.37%
Supplier E	1:27:30 PM	\$1,542,899	12.75%
Supplier F	1:28:46 PM	\$1,535,070	13.19%

25

30

LOT 1 - Historic Price = \$1,768,334			
Supplier C	1:29:15 PM	\$1,533,894	13.26%

Table 14

Supplier F attempts to respond quickly, entering \$1,158,000 instead of \$1,518,000.

5 This bid is over 20% below the last bid placed by Supplier F, and more than 10% below the market. This bid violates the first and second failsafe rules, and Supplier F is prevented from entering this bid at all. Supplier F corrects this mistake and enters their best and final bid for this lot (\$1,518,000).

Supplier F begins monitoring the activity on other lots and decides to place a bid of

10 \$1,354,200 in Lot 2, but inadvertently places the bid in Lot 1. This bid is not greater than 20% below the previous bid, nor is it more than 10% below the current market leading bid. Accordingly, none of the failsafe rules are activated and the bid is entered.

Supplier F immediately recognizes the mistake and contacts the auction coordinator.

After confirming that this is a bona fide error, the auction coordinator warns the other

15 participants that the latest bid from Supplier F is erroneous and activates the override feature. The bid is removed from the online auction.

Bidding continues on this lot without a disruption in the auction process, and without prejudicing the position of the other bidders.

The operation of the error detection features are illustrated in the flow chart in Fig. 15,

20 as shown in process 800. A bidder enters a bid at step 810. A confirmation box is then displayed to the bidder at step 820. An example of the bid confirmation box is shown in Fig. 15A. If the bidder decides not to enter the bid in step 830, then the bid is canceled, and the bidder can then enter another bid in step 810. If the bidder confirms the bid at step 830, then the bid is checked against predefined failsafe criteria at step 840. The first check is to see if

25 the bid fails predefined criteria that prevents the bid from being entered entirely. If the bid does fail this first test, then a message, such as the one in Fig. 15B, is displayed to the bidder in step 845, and the bidder must reenter the bid at step 810. If the bid passes the first failsafe criteria, then a second check is performed at step 850. For this second level of predefined criteria, if the bid fails to pass, then the bidder may still enter the bid if he confirms it again at

30 step 855. An example of the reconfirmation box is shown in Fig. 15C. If the bidder reconfirms the bid, then is entered into the auction at step 860. If the bid passed the

reconfirmation failsafe criteria at step 850, then no reconfirmation is needed, and the bid is entered into the auction at step 860. The entire process 800 is repeated for every bid that is submitted in the auction.

5 While the invention has been described in detail and with reference to specific
embodiments thereof, it will be apparent to one skilled in the art that various changes and
modifications can be made therein without departing from the spirit and scope thereof. In
particular, it should be noted that while the auction functions described above have been
described in the context of downward pricing auctions the auction functions can be equally
applied to upward pricing auctions. Thus, it is intended that the present invention cover the
10 modifications and variations of this invention provided they come within the scope of the
appended claims and their equivalents.

WHAT IS CLAIMED IS:

- 1 1. A method of conducting a business-to-business online auction for custom industrial
2 products or materials between a buyer and a plurality of potential sellers, comprising the steps
3 of:
 - 4 (a) offering a first and a second lot, defined at least in part by a buyer, to a
5 plurality of potential sellers, said first and second lots having at least one
6 product;
 - 7 (b) defining a closing time for said first lot before which bids for said first lot are
8 to be submitted by potential sellers;
 - 9 (c) defining a closing time for said second lot before which bids for said second lot
10 must be submitted by a potential seller, said closing time for said second lot
11 being later than said closing time for said first lot by a first time interval;
 - 12 (d) receiving bids from potential sellers for said first lot;
 - 13 (e) extending said closing time of said first lot by an incremental amount of time
14 upon the occurrence of a predetermined lot extension criterion relating to said
15 received bids; and
 - 16 (f) extending said closing time of said second lot if said extended closing time of
17 said first lot precedes said closing time of said second lot by less than a second
18 time interval.
- 1 2. The method of claim 1, wherein step (e) comprises the step of determining whether a
2 received bid is better than the best of the previously received bids.
- 1 3. The method of claim 2, wherein step (e) comprises the step of determining whether a
2 received bid is the lowest bid.
- 1 4. The method of claim 1, wherein step (e) comprises the step of determining if a
2 received bid is within a predetermined amount of a preceding bid.
- 1 5. The method of claim 1, wherein step (e) comprises the step of determining whether a
2 bid is received within a third time interval of said first lot closing time.
- 1 6. The method of claim 1, further including the steps of:
2 offering a third lot to the plurality of potential sellers;

3 defining a closing time for said third lot before which bids for said third lot must be
4 submitted by a potential seller, said closing time for said third lot being later than said closing
5 time for said second lot by a fourth time interval;

6 determining whether said extended closing time of said second lot precedes said
7 closing time of said third lot by less than a fifth time interval; and, if so,
8 extending said closing time of said third lot.

1 7. A method of conducting an online auction between a buyer and a plurality of potential
2 sellers, comprising the steps of:

- 3 (a) offering a plurality of lots, defined at least in part by a buyer, to a plurality of
4 potential sellers, each of said plurality of lots having at least one product;
5 (b) defining a closing time for each of said plurality of lots, wherein a closing time
6 for a lot defines a time before which bids for the lot are to be submitted by a
7 potential seller;
8 (c) upon the extension of a closing time for a first lot, determining whether a
9 closing time for a second lot is within a predefined time interval from the
10 extended closing time of said first lot; and
11 (d) if the closing time for said second lot is within a predefined time interval from
12 the extended closing time of said first lot, extending said closing time of said
13 second lot such that the time between the extended closing time of said second
14 lot and the extended closing time of said first lot is at least said predefined time
15 interval.

1 8. The method of claim 7, further comprising the steps of:

2 upon the extension of a closing time for said second lot, determining whether a closing
3 time for a third lot is within said predefined time interval from the extended closing time of
4 said second lot; and

5 if the closing time for said third lot is within a predefined time interval from the
6 extended closing time of said second lot, extending said closing time of said third lot such that
7 the time between the extended closing time of said third lot and the extended closing time of
8 said second lot is at least said predefined time interval.

1 9. A method of conducting a business-to-business online auction for custom industrial
2 products or materials between a buyer and a plurality of potential sellers, comprising the steps
3 of:

- 4 (a) offering a plurality of lots, defined at least in part by a buyer, to a plurality of
5 potential sellers, each of said plurality of lots having at least one product;
6 (b) defining a closing time for each of said plurality of lots, wherein a closing time
7 for a lot defines a time before which bids for the lot are to be submitted by a
8 potential seller;
9 (c) defining an overtime extension parameter for each of said plurality of lots, said
10 overtime extension parameter indicating a length of an overtime period for an
11 associated lot, wherein an overtime extension parameter for a lot is based upon
12 characteristics of one or more items in the lot;
13 (d) determining whether an overtime period is triggered in one of said plurality of
14 lots; and
15 (e) if an overtime period is triggered in said one of said plurality of lots, extending
16 the auction for said one of said plurality of lots by an amount of time defined
17 by said overtime extension parameter associated with said one of said plurality
18 of lots.

1 10. The method of claim 9, further comprising the step of storing overtime extension
2 parameters for each of said plurality of lots.

1 11. The method of claim 9, wherein step (e) comprises the step of adding the value of an
2 overtime extension parameter with a market closing time for a lot.

1 12. The method of claim 9, further comprising the step of dynamically varying an
2 overtime extension parameter associated with a lot during an auction for the lot.

1 13. A method of conducting a business-to-business online auction for custom industrial
2 products or materials between a buyer and a plurality of potential sellers, comprising the steps
3 of:

- 4 (a) offering a lot, defined at least in part by a buyer, to a plurality of potential
5 sellers, said lot having at least one product;
6 (b) defining a closing time for said lot, wherein said closing time for said lot
7 defines a time before which bids for the lot are to be submitted by a potential
8 seller;
9 (c) receiving a first bid from a potential seller for said lot;
10 (d) identifying said first bid as a current best bid;

- 11 (e) comparing each successively received bid to said current best bid, and
12 identifying said successive bid as said current best bid if said successive bid is
13 better than said current best bid;
- 14 (f) within a first time interval of said closing time for said lot,
15 (i) determining whether a received bid is better than said current best bid;
16 (ii) if said received bid is better than said current best bid, identifying said
17 received bid as said current best bid and extending said closing time for
18 said first lot by a second time interval;
19 (iii) if said received bid is not better than said current best bid, determining
20 whether said received bid satisfies at least one behind-market bid lot
21 extension criteria; and
22 (iv) if said received bid satisfies at least one behind-market bid lot
23 extension criteria, extending said closing time for said first lot by a
24 third time interval.

1 14. The method of claim 13, wherein said second time interval is equal to said third time
2 interval.

1 15. The method of claim 13, wherein step (f)(iii) comprises the step of determining
2 whether said received bid is received within a fourth time interval of said closing time.

1 16. The method of claim 13, wherein step (f)(iii) comprises the step of determining
2 whether said received bid is within a predefined percentage of said current best bid.

1 17. The method of claim 16, wherein step (f)(iii) comprises the step of storing a
2 percentage parameter in memory.

1 18. The method of claim 13, wherein step (f)(iii) comprises the step of determining
2 whether said received bid is higher than said current best bid by a selected amount.

1 19. The method of claim 18, wherein step (f)(iii) comprises the step of storing a price
2 distance parameter in memory.

1 20. The method of claim 16, wherein step (f)(iii) comprises the step of determining
2 whether said received bid is from an incumbent supplier.

1 21. The method of claim 20, wherein the step (f)(iii) comprises the step of storing an
2 incumbent supplier parameter in memory.

1 22. The method of claim 13, wherein step (f)(iii) comprises the step of determining
2 whether said received bid is within a predefined number of rank ordinal positions of said
3 current best bid.

1 23. The method of claim 22, wherein step (f)(iii) comprises the step of storing an ordinal
2 position parameter in memory.

1 24. A method of conducting an online auction between a buyer and a plurality of potential
2 sellers, comprising the steps of:

3 (a) offering a lot, defined at least in part by a buyer, to a plurality of potential
4 sellers, said lot having at least one product;

5 (b) defining a closing time for said lot, wherein said closing time for said lot
6 defines a time before which bids for the lot are to be submitted by a potential
7 seller;

8 (c) within a first time interval of said closing time for said lot, determining if a
9 received bid satisfies at least one behind-market bid lot extension criteria,
10 wherein said at least one behind-market bid lot extension criteria can be
11 satisfied if said received bid is not better than a current best bid; and

12 (d) if said received bid satisfies at least one behind-market bid lot extension
13 criteria, extending said closing time for said first lot by a second time interval.

1 25. The method of claim 24, wherein step (d) comprises the step of determining whether
2 said received bid is received within a third time interval of said closing time.

1 26. The method of claim 24, wherein step (d) comprises the step of determining whether
2 said received bid is within a predefined percentage of said current best bid.

1 27. The method of claim 26, wherein step (d) comprises the step of storing a percentage
2 parameter in memory.

1 28. The method of claim 24, wherein step (d) comprises the step of determining whether
2 said received bid is higher than said current best bid by a selected amount.

1 29. The method of claim 28, wherein step (d) comprises the step of storing a price distance
2 parameter in memory.

1 30. The method of claim 24, wherein step (d) comprises the step of determining whether
2 said received bid is from an incumbent supplier.

1 31. The method of claim 30, wherein step(d) comprises the step of storing an incumbent
2 supplier parameter in memory.

1 32. The method of claim 24, wherein step (d) comprises the step of determining whether
2 said received bid is within a predefined number of rank ordinal positions of said current best
3 bid.

1 33. The method of claim 32, wherein step (d) comprises the step of storing an ordinal
2 position parameter in memory.

1 34. A bidding method in an auction between a buyer and a plurality of potential sellers,
2 comprising the steps of:

3 (a) receiving initial line item bids for individual line items in a lot of products, at
4 least one of said initial line item bids including a locked portion and an
5 unlocked portion;

6 (b) calculating an initial lot bid price using said initial line item bids;

7 (c) receiving an adjustment to the total bid for a lot;

8 (d) calculating line item price adjustments using said lot bid adjustment, wherein
9 line item price adjustments are made on a pro rata basis to the unlocked
10 portions of said initial line item bids; and

11 (e) calculating an updated lot bid price using said line item adjustments.

1 35. The method of claim 34, wherein step (c) comprises the step of receiving information
2 representing a price adjustment for said initial lot bid price.

1 36. The method of claim 34, wherein step (c) comprises the step of receiving information
2 representing a percentage reduction in said initial lot bid price.

1 37. The method of claim 34, wherein step (a) comprises the step of receiving an initial line
2 item bid for a line item having only a locked portion.

1 38. The method of claim 34, wherein step (a) comprises the step of receiving an initial line
2 item bid for a line item having only an unlocked portion.

1 39. The method of claim 34, further comprising the step of determining whether said lot
2 bid adjustment exceeds a sum of all of the unlocked portions in said initial line item bids.

1 40. The method of claim 34, further comprising the step of unlocking at least part of a
2 locked portion of a line item bid.

1 41. The method of claim 34, further comprising the step of storing locked and unlocked
2 portions of each of said line item bids.

1 42. A computer program product for enabling a processor in a computer system to process
2 bidding information in an auction between a buyer and a plurality of potential sellers, said
3 computer program product comprising:

4 a computer usable medium having computer readable program code means embodied
5 in said medium for causing an application program to execute on the computer system, said
6 computer readable program code means comprising

7 a first computer readable program code means for enabling the computer
8 system to receive initial line item bids for individual line items in a lot of products, at
9 least one of said initial line item bids including a locked portion and an unlocked
10 portion;

11 a second computer readable program code means for enabling the computer
12 system to calculate an initial lot bid price using said initial line item bids;

13 a third computer readable program code means for enabling the computer
14 system to receive a lot bid adjustment;

15 a fourth computer readable program code means for enabling the computer
16 system to calculate line item price adjustments using said lot bid adjustment, wherein
17 line item price adjustments are made on a pro rata basis to the unlocked portions of
18 said initial line item bids; and

19 a fifth computer readable program code means for enabling the computer
20 system to calculate an updated lot bid prices using said line item adjustments.

1 43. The computer program product of claim 42, wherein said lot bid adjustment is a price
2 adjustment in said initial lot bid price.

1 44. The computer program product of claim 42, wherein said lot bid adjustment is a
2 percentage reduction in said initial lot bid price.

1 45. The computer program product of claim 42, wherein a line item bid for a line item has
2 only a locked portion.

1 46. The computer program product of claim 42, wherein a line item bid for a line item has
2 only an unlocked portion.

1 47. The computer program product of claim 42, further comprising computer readable
2 program code means for enabling the computer system to determine whether said lot bid
3 adjustment exceeds a sum of all of the unlocked portions in said initial line item bids.

1 48. The computer program product of claim 42, further comprising computer readable
2 program code means for enabling the computer system to unlock at least part of a locked
3 portion of a line item bid.

1 49. The computer program product of claim 42, further comprising computer readable
2 program code means for enabling the computer system to store locked and unlocked portions
3 of each of said line item bids.

1 50. A bidding method in an on-line auction, comprising the steps of:

2 (a) defining a flexible line item decision rule, said flexible line item decision rule
3 being created to accommodate a pre-auction bidding strategy relating to one or more aspects
4 of a line item portion of a bid for a lot of products;

5 (b) receiving information specifying a bid for a lot of products, said bid including a
6 plurality of line item portions for corresponding line items in said lot of products;

7 (c) receiving information specifying an adjustment to one or more aspects of said bid
8 for said lot of products;

9 (d) analyzing said adjustment to said one or more aspects of said bid for said lot of
10 products based on said flexible line item decision rule to determine a corresponding
11 adjustment to one or more aspects of one or more line item portions of said bid; and

12 (e) effecting said corresponding adjustment to said one or more aspects of said one or
13 more line item portions of said bid based upon the analysis of step (d).

1 51. The method of claim 50, wherein step (a) comprises the step of defining a locked
2 portion and an unlocked portion for one or more line item portions of said bid.

1 52. The method of claim 51, wherein step (d) comprises the step of calculating line item
2 price adjustments using a lot bid adjustment, wherein line item price adjustments are made on
3 a pro rata basis to the unlocked portions of the line item portions of said bid.

1 53. A method of conducting a business-to-business online auction for custom industrial
2 products or materials between a buyer and a plurality of potential sellers, comprising the steps
3 of:

4 (a) offering a lot, defined at least in part by a buyer, to a plurality of potential
5 sellers, said lot having at least one product;

6 (b) setting a bidding status for said lot to a first bidding status indicating that the
7 buyer will accept bids from the potential sellers on said lot;

8 (c) receiving bids from potential sellers for said lot;

- 9 (d) upon closing of said lot, changing said bidding status for said lot from said first
10 status to a second status indicating that the buyer will not accept bids from a
11 potential seller on said lot of products but that said bidding status may be
12 subsequently changed to said first bidding status;
- 13 (e) determining whether a return to open trigger event has occurred within a
14 predetermined time period following the changing of said bidding status from
15 said first status to said second status;
- 16 (f) if said return to open trigger event has not occurred, setting said bidding status
17 to a third bidding status indicating that the buyer will no longer accept bids
18 from the potential sellers on said lot of products; and
- 19 (g) if said return to open trigger event has occurred, returning said bidding status
20 for said lot to said first bidding status.

1 54. The method of claim 53, wherein step (e) comprises the step of receiving a
2 communication from a potential seller indicating a request for an opportunity to submit a
3 further bid.

1 55. The method of claim 53, wherein step (g) comprises the step of returning said bidding
2 status for said lot to said first bidding status after auctions on other lots have closed.

1 56. The method of claim 53, further comprising the steps of:
2 storing a first value that specifies the length of time that said lot will remain in said
3 second bidding status; and
4 storing a second value that specifies whether said lot should automatically be changed
5 to said third bidding status upon the expiration of the length of time specified by said first
6 value.

1 57. A method of conducting a business-to-business online auction for custom industrial
2 products or materials between a buyer and a plurality of potential sellers, comprising the steps
3 of:

- 4 (a) offering a lot, defined at least in part by a buyer, to a plurality of potential
5 sellers, said lot having at least one product;
- 6 (b) defining a closing time for said lot before which bids for said lot are to be
7 submitted by potential sellers;
- 8 (c) setting a bidding status for said lot to a first status indicating that the buyer will
9 accept bids from potential sellers of said lot;

- 10 (d) determining whether an auction pausing event has occurred;
- 11 (e) if an auction pausing event has occurred, changing said bidding status for said
- 12 lot from said first status to a paused status indicating that the buyer will not
- 13 accept bids from the potential sellers on said lot and that all existing bids for
- 14 said lot are preserved;
- 15 (f) altering said closing time for said lot during said paused status for said lot; and
- 16 (g) changing said bidding status for said lot from said paused status to said first
- 17 status once said auction pausing event has been corrected.

1 58. The method of claim 57, wherein step (d) comprises the step of receiving a notification

2 from a potential seller.

1 59. The method of claim 57, wherein step (f) comprises the step of receiving input from an

2 auction coordinator that identifies an alteration in said closing time.

1 60. A method of conducting a business-to-business online auction for custom industrial

2 products or materials between a buyer and a plurality of potential sellers, comprising the steps

3 of:

- 4 (a) offering a plurality of lots, defined at least in part by a buyer, to a plurality of
- 5 potential sellers, each of said plurality of lots having at least one product;
- 6 (b) defining an opening and a closing time for each of said plurality of lots;
- 7 (c) determining whether an auction pausing event has occurred;
- 8 (d) if an auction pausing event has occurred, changing said bidding status for at
- 9 least one of said plurality of lots to a paused status indicating that the buyer
- 10 will not accept bids from the potential sellers on said lot and that any existing
- 11 bids for said lot are preserved;
- 12 (e) altering at least one of said opening time and said closing time for at least one
- 13 of said plurality of lots during said paused status for said lot; and
- 14 (g) changing said bidding status for said lot from said paused status to a second
- 15 status once said auction pausing event has been corrected.

1 61. The method of claim 60, wherein step (c) comprises the step of receiving a notification

2 from a potential seller.

1 62. The method of claim 60, wherein step (d) comprises the step of changing said bidding

2 status from an available status to a paused status.

1 63. The method of claim 60, wherein step (d) comprises the step of changing said bidding
2 status from an open status to a paused status.

1 64. The method of claim 60, wherein step (d) comprises the step of changing said bidding
2 status from an extended status to a paused status.

1 65. The method of claim 60, wherein step (d) comprises the step of changing said bidding
2 status from an overtime status to a paused status.

1 66. The method of claim 60, wherein step (e) comprises the step of receiving input from
2 an auction coordinator that identifies an alteration in said closing time.

1 67. The method of claim 60, wherein step (e) comprises the step of altering an opening
2 time or a closing time for each of said plurality of lots.

1 68. The method of claim 60, wherein step (f) comprises the step of changing said bidding
2 status from a paused status to an available status.

1 69. The method of claim 60, wherein step (f) comprises the step of changing said bidding
2 status from a paused status to an open status.

1 70. The method of claim 60, wherein step (f) comprises the step of changing said bidding
2 status from a paused status to an extended status.

1 71. A method of conducting an online auction for custom industrial products or materials
2 between a buyer and a plurality of potential sellers, comprising the steps of:

3 (a) setting an individual bid ceiling for each of a plurality of potential sellers,
4 wherein an individual bid ceiling for at least one of said plurality of potential
5 sellers is different from an individual bid ceiling for another of said plurality of
6 potential sellers;

7 (b) receiving bids from one or more potential sellers;

8 (c) determining whether a received bid for a potential seller is greater than a
9 corresponding individual bid ceiling for said potential seller; and

10 (d) if said received bid is greater than said individual bid ceiling for said potential
11 seller, communicating to said potential seller that said received bid is invalid.

1 72. The method of claim 71, wherein step (a) includes the step of setting an individual bid
2 ceiling based on price discovery prior to the start of the auction.

1 73. The method of claim 71, wherein step (a) includes the step of setting an individual bid
2 ceiling based on the potential seller's previous offline bid.

1 74. A method of conducting an auction, comprising the steps of:

- 2 (a) setting an individual bid floor for each of a plurality of potential bidders,
3 wherein an individual bid floor for at least one of said plurality of potential
4 bidders is different from an individual bid floor for another of said plurality of
5 potential bidders;
6 (b) receiving bids from one or more potential bidders;
7 (c) determining whether a received bid for a potential bidder is less than a
8 corresponding individual bid floor for said potential bidder; and
9 (d) if said received bid is less than said individual bid floor for said potential
10 bidder, communicating to said potential bidder that said received bid is invalid.

1 75. The method of claim 74, wherein step (a) includes the step of setting an individual bid
2 floor based on price discovery prior to the start of the auction.

1 76. The method of claim 74, wherein step (a) includes the step of setting an individual bid
2 floor based on the potential bidder's previous offline bid.

1 77. A method of conducting an online auction between a plurality of bidders, comprising
2 the steps of:

- 3 (a) offering a lot, defined at least in part by an originator, to a plurality of potential
4 bidders, said lot having at least one product;
5 (b) receiving a bid from a bidder for said lot, said bid being confirmed by said
6 bidder prior to submission;
7 (c) determining whether said bid price on said lot passes at least one bid failsafe
8 criteria, said at least one bid failsafe criteria incorporating system-based
9 intelligence to determine whether said bid price on said lot is a permissible bid
10 in view of previously received bids; and
11 (d) if said bid price on said lot fails said at least one bid failsafe criteria,
12 implementing a pre-defined consequence that is associated with said at least
13 one bid failsafe criteria.

1 78. The method of claim 77, wherein step (c) comprises the step of comparing said bid
2 price to a previous bid by said bidder.

1 79. The method of claim 78, wherein step (c) comprises the step of determining whether
2 said bid price is within a predefined percentage of a previous bid by said bidder.

1 80. The method of claim 77, wherein step (c) comprises the step of comparing said bid
2 price to a historical lot price.

1 81. The method of claim 80, wherein step (c) comprises the step of determining whether
2 said bid price meets a threshold defined by a historical lot price.

1 82. The method of claim 77, wherein step (c) comprises the step of comparing said bid
2 price to a market leading bid price.

1 83. The method of claim 82, wherein step (c) comprises the step of determining whether
2 said bid price is within a predefined percentage of a market leading bid price.

1 84. The method of claim 77, wherein step (d) comprises the step of preventing said bid
2 price from being submitted.

1 85. A method of conducting an auction between a plurality of bidders, comprising the
2 steps of:

3 (a) offering a lot, defined at least in part by an originator, to a plurality of potential
4 bidders, said lot having at least one product;

5 (b) defining a closing time for said lot, wherein said closing time for said lot
6 defines a time before which bids for the lot are to be submitted by a potential
7 bidder;

8 (a) receiving bids from potential bidders for said lot;

9 (b) determining whether an erroneous bid has been submitted by a bidder;

10 (c) if an erroneous bid has been submitted, deleting in real-time an erroneous bid
11 and any consequential bids of said erroneous bid from the auction; and


12 (d) communicating with potential bidders that said erroneous bid and said
13 consequential bids have been deleted from the auction.

1 86. The method of claim 85, wherein step (b) comprises the step of receiving a
2 communication from a bidder that a submitted bid is in error.

1 87. The method of claim 85, wherein step (c) comprises the step of deleting bids from the
2 auction based upon input from an auction coordinator.

1 88. The method of claim 85, wherein step (d) comprises the step of causing a message
2 dialog box to be displayed to the potential bidders.

FIG. 1



	Coordinator	Buyer	Supplier
Initial Contact 102	Contact buyer	Provide Data	
RFQ 104	Collect & Administer RFQ Data	Provide RFQ Data	
	Publish & Administer RFQ		Access RFQ
	Manage RFQ Response		Respond to RFQ
Auction Administration 106		Request Auction	
	Coordinate & Administer Auction Setup		
	Assist & Administer User Auction Prep		Prepare for Auction
Conduct Auction 108	Assist & Administer Auction	Observe	Bid
Administer Auction Results 110	Analyze & Administer CBE Results	View Auction Results	View Auction Results
Contract Administration 112		Settlement	Settlement

FIG. 2

FIG. 3




FIG. 4





FIG. 5



6/16

FIG. 6A

Current Time: 10:00:11 AM				
Lot	Name	Closing Time	Status	Market Bid
01	PP B Gas Assist	10:30:00 AM	OPEN	0
02	ABS/PC/Acetal	10:45:00 AM	OPEN	0
03	Acetal/PA/PS	11:00:00 AM	OPEN	0
04	PA/PVC/TPE/EVA	11:15:00 AM	OPEN	0
05	PP	11:30:00 AM	OPEN	0
06	PPO/PC/PVC/PS/Acetal	11:45:00 AM	OPEN	0
07	PC B Arch.	12:00:00 AM	OPEN	0
08	PPO/PP B Arch.	12:15:00 PM	OPEN	0

FIG. 6B

Current Time: 10:27:00 AM				
Lot	Name	Closing Time	Status	Market Bid
01	PP B Gas Assist	10:30:00 AM	OPEN	374,586
02	ABS/PC/Acetal	10:45:00 AM	OPEN	160,159
03	Acetal/PA/PS	11:00:00 AM	OPEN	344,481
04	PA/PVC/TPE/EVA	11:15:00 AM	OPEN	664,817
05	PP	11:30:00 AM	OPEN	1,015,953
06	PPO/PC/PVC/PS/Acetal	11:45:00 AM	OPEN	3,940,244
07	PC B Arch.	12:00:00 AM	OPEN	64,888
08	PPO/PP B Arch.	12:15:00 PM	OPEN	20,325

FIG. 6C

Current Time: 10:30:26 AM				
Lot	Name	Closing Time	Status	Market Bid
01	PP B Gas Assist	10:32:00 AM	OVERTIME	372,500
02	ABS/PC/Acetal	10:45:00 AM	OPEN	160,000
03	Acetal/PA/PS	11:00:00 AM	OPEN	344,481
04	PA/PVC/TPE/EVA	11:15:00 AM	OPEN	652,346
05	PP	11:30:00 AM	OPEN	999,745
06	PPO/PC/PVC/PS/Acetal	11:45:00 AM	OPEN	3,940,244
07	PC B Arch.	12:00:00 AM	OPEN	64,888
08	PPO/PP B Arch.	12:15:00 PM	OPEN	20,325

FIG. 6D

Current Time: 10:32:05 AM				
Lot	Name	Closing Time	Status	Market Bid
01	PP B Gas Assist	10:32:00 AM	CLOSED	371,373
02	ABS/PC/Acetal	10:45:00 AM	OPEN	148,027
03	Acetal/PA/PS	11:00:00 AM	OPEN	344,481
04	PA/PVC/TPE/EVA	11:15:00 AM	OPEN	652,346
05	PP	11:30:00 AM	OPEN	999,745
06	PPO/PC/PVC/PS/Acetal	11:45:00 AM	OPEN	3,940,244
07	PC B Arch.	12:00:00 AM	OPEN	64,888
08	PPO/PP B Arch.	12:15:00 PM	OPEN	20,325

8/16

FIG. 7A




FIG. 7B

Bid	Bid Time:	Market Status Before Bid	Market Status After Bid	Lot 01 Closing Time Before Bid	Lot 01 Closing Time After Bid
A	10:26:49	OPEN	OPEN	10:30:00	10:30:00
B	10:29:06	OPEN	OVERTIME	10:30:00	10:31:00
C	10:30:33	OVERTIME	OVERTIME	10:31:00	10:32:00
D	10:30:45	OVERTIME	OVERTIME	10:32:00	10:32:00
E	10:31:45	OVERTIME	OVERTIME	10:32:00	10:32:00

10/16

FIG. 8

Bid History for Lot 1				
Event	Bidder	Bid Time	Bid Amount	Current Best Bid
	Bidder13	10:00:19	392,118	392,118
	Bidder15	10:00:36	396,252	392,118
	Bidder6	10:01:54	450,012	392,118
	Bidder3	10:02:46	391,556	391,556
	Bidder13	10:03:50	390,142	390,142
	Bidder18	10:04:59	388,703	388,086
	Bidder22	10:06:09	400,156	388,086
	Bidder3	10:06:44	388,703	388,086
	Bidder3	10:08:58	387,489	387,489
	Bidder7	10:10:02	378,615	378,615
	Bidder3	10:12:55	385,089	378,615
	Bidder13	10:20:22	375,144	375,144
	Bidder7	10:22:49	377,124	375,144
	Bidder18	10:24:37	374,586	374,586
A	Bidder7	10:26:49	376,334	374,586
B	Bidder15	10:29:06	373,063	373,063
C	Bidder7	10:30:03	372,500	372,500
D	Bidder13	10:30:45	371,373	371,373
E	Bidder7	10:31:45	374,142	371,373

FIG. 9A




FIG. 9B

Bid	Bid Time Between:	Lot X Bidding Status		Lot Y Bidding Status	
		Before Bid	After Bid	Before Bid	After Bid
A	t4 and t5	OPEN	OPEN	OPEN	OPEN
B	t4 and t5	OPEN	OPEN	OPEN	OPEN
C	t5 and t6	OPEN	OPEN	OPEN	OPEN
D	t6 and t7	OVERTIME	OVERTIME	OPEN	OPEN
E	t6 and t7	OVERTIME	OVERTIME	OPEN	OPEN
F	t7 and t8	OVERTIME	OVERTIME	OPEN	EXTENDED

Lot X Closing Time		Lot Y Closing Time	
Before Bid	After Bid	Before Bid	After Bid
t6	t6	t11	t11
t6	t6	t11	t11
t7	t7	t11	t11
t8	t8	t11	t11
t8	t8	t11	t11
t9	t9	t11	t12




FIG. 11




FIG. 12



600

FIG. 13

700



INTERNATIONAL SEARCH REPORT

International Application No.

PCT/US 99/21600

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 G06F17/60

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 97 37315 A (ONSALE, INC.) 9 October 1997 (1997-10-09) the whole document	
A	<p>--- BANÂTRE ET AL: "The design and building of ENCHÈRE, a distributed electronic marketing system" COMMUNICATIONS OF THE ACM, vol. 29, no. 1, January 1986 (1986-01), pages 19-29, XP000002077 New York, NY, US the whole document --- -/--</p>	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

19 January 2000

Date of mailing of the international search report

27/01/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Abram, R

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 99/21600

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>COHEN: "Computerized commerce" INFORMATION PROCESSING 89 - PROCEEDINGS OF THE IFIP 11TH WORLD COMPUTER CONGRESS, 28 August 1989 (1989-08-28) - 1 September 1989 (1989-09-01), pages 1095-1100, XP000079818 San Francisco, CA, US section 3</p>	

INTERNATIONAL SEARCH REPORT

information on patent family members

International Application No

PCT/US 99/21600

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9737315 A	09-10-1997	US 5835896 A	10-11-1998
		AU 2338397 A	22-10-1997
		CA 2253543 A	09-10-1997
		EP 0900424 A	10-03-1999